

# **OIL ANALYSIS REPORT**

## Sample Rating Trend



Machine Id

# **MAINTOU NO UNIT PC0075952**

Rear Differential

{not provided} (--- GAL)

### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the

#### Fluid Condition

The condition of the oil is acceptable for the time in service.

May2024							
CAMPLE INCORN	ATION						
SAMPLE INFORM	IATION	method	limit/base	current	history1	history2	
Sample Number		Client Info		PC0075952			
Sample Date		Client Info		14 May 2024			
Machine Age	hrs	Client Info		2786			
Oil Age	hrs	Client Info		0			
Oil Changed		Client Info		N/A			
Sample Status				NORMAL			
CONTAMINATION	NC	method	limit/base	current	history1	history2	
Water		WC Method	>.2	NEG			
WEAR METALS	}	method	limit/base	current	history1	history2	
ron	ppm	ASTM D5185(m)	>500	27			
Chromium	ppm	ASTM D5185(m)	>10	<1			
Nickel	ppm	ASTM D5185(m)	>10	0			
Titanium	ppm	ASTM D5185(m)		0			
Silver	ppm	ASTM D5185(m)		0			
Aluminum	ppm	ASTM D5185(m)	>25	2			
Lead	ppm	ASTM D5185(m)	>25	0			
Copper	ppm	ASTM D5185(m)	>100	<1			
Tin	ppm	ASTM D5185(m)	>10	0			
Antimony	ppm	ASTM D5185(m)	>5	0			
Vanadium	ppm	ASTM D5185(m)		0			
Beryllium	ppm	ASTM D5185(m)		0			
Cadmium	ppm	ASTM D5185(m)		0			
ADDITIVES		method	limit/base	current	history1	history2	
Boron	ppm	ASTM D5185(m)		136			
Barium	ppm	ASTM D5185(m)		<1			
Molybdenum	ppm	ASTM D5185(m)		0			
Manganese	ppm	ASTM D5185(m)		<1			
Magnesium	ppm	ASTM D5185(m)		21			
Calcium	ppm	ASTM D5185(m)		3671			
Phosphorus	ppm	ASTM D5185(m)		1013			
Zinc	ppm	ASTM D5185(m)		645			
Sulfur	ppm	ASTM D5185(m)		3278			
Lithium	ppm	ASTM D5185(m)		<1			
CONTAMINANT	TS	method	limit/base	current	history1	history2	
Silicon	ppm	ASTM D5185(m)	>75	11			
Sodium	ppm	ASTM D5185(m)		3			
Datasairus		ACTM DE10E()	00	•			

ASTM D5185(m) >20


ppm

2

Potassium



# **OIL ANALYSIS REPORT**



VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE		
Yellow Metal	scalar	Visual*	NONE	NONE		
Precipitate	scalar	Visual*	NONE	NONE		
Silt	scalar	Visual*	NONE	NONE		
Debris	scalar	Visual*	NONE	VLITE		
Sand/Dirt	scalar	Visual*	NONE	NONE		
Appearance	scalar	Visual*	NORML	NORML		
Odor	scalar	Visual*	NORML	NORML		
<b>Emulsified Water</b>	scalar	Visual*	>.2	NEG		
Free Water	scalar	Visual*		NEG		
FLUID PROPE	RTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)		51.9		
Visc @ 100°C	cSt	ASTM D7279(m)		8.4		
Viscosity Index (VI)	Scale	ASTM D2270*		136		
SAMPLE IMAG	ES	method	limit/base	current	history1	history2
Color					no image	no image
Bottom					no image	no image
GRAPHS						
Iron (ppm)				Lead (ppm)		
Severe			200	ļ.		
E 1000 Abnormal			E 100	Abnormal		
0 <del>   </del>			- 5	-		157
May14/24			May14/24	May14/24		May14/24
Aluminum (ppm)				Chromium (pp	om)	
200			40	Severe		
& 100 Severe  Abnormal			<u>E</u> 20	Abnormal		
0			- 52			- 52
May14/24			May14/24	May14/24		May14/24
Copper (ppm)			400	Silicon (ppm)		
Severe			Ę. 200	Severe		
Abnormal				Abnormal O		
May14/24 -			May14/24	May 14/24		/lay14/24
Viscosity @ 40°C			-	Additives		2
200 T Abnormal			4000			
S 100 Abnormal				calcium nennennenne phosphorus		
0 4			- 0	200000000000000000000000000000000000000		-
May14/24			May14/24	//ay14/24		May14/24
≥			≥	≥		≅



CALA ISO 17025:2017 Accredited Laboratory

Laboratory

**Sample No.** : PC0075952 Lab Number : 02635807 Unique Number : 5776960

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 Received Tested

: 15 May 2024 Diagnosed

: 16 May 2024 : 16 May 2024 - Wes Davis

3203 CHEM. CHARLES - LEONARD MIRABEL, QC **CA J7N 2Y7** 

J. RENE LAFOND INC

Contact: Service Manager epoirier@jrenelafond.com

Test Package : MOB 1 (Additional Tests: KV100, VI) To discuss this sample report, contact Customer Service at 1-800-268-2131. Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

T: F: