

## **OIL ANALYSIS REPORT**

Sample Rating Trend





OR642 Component Front Final Drive Fluid JOHN DEERE HYDRAU (--- GAL)

## DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample.

#### Wear

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil.

#### Fluid Condition


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


SAMPLE INFORI	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PC0087902		
Sample Date		Client Info		08 May 2024		
Machine Age	hrs	Client Info		17126		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINAT	ION	method	limit/base	current	history1	history2
Water		WC Method	>0.075	NEG		
WEAR METAL	S	method	limit/base	current	history1	history2
PQ		ASTM D8184*	>1250	15		
Iron	ppm	ASTM D5185(m)	>750	220		
Chromium	ppm	ASTM D5185(m)	>9	<1		
Nickel	ppm	ASTM D5185(m)	>10	<1		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		0		
Aluminum	ppm	ASTM D5185(m)	>40	<1		
Lead	ppm	ASTM D5185(m)	>15	14		
Copper	ppm	ASTM D5185(m)	>40	19		
Tin	ppm	ASTM D5185(m)	>10	<1		
Antimony	ppm	ASTM D5185(m)	>5	0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)		2		
Barium	ppm	ASTM D5185(m)		<1		
Molybdenum	ppm	ASTM D5185(m)		0		
Manganese	ppm	ASTM D5185(m)		2		
Magnesium	ppm	ASTM D5185(m)		18		
Calcium	ppm	ASTM D5185(m)	87	710		
Phosphorus	ppm	ASTM D5185(m)	727	723		
Zinc	ppm	ASTM D5185(m)	900	826		
Sulfur	ppm	ASTM D5185(m)	1500	1858		
Lithium	ppm	ASTM D5185(m)		3		
CONTAMINAN	TS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>75	2		
Sodium	ppm	ASTM D5185(m)	>51	3		
Potassium	ppm	ASTM D5185(m)	>20	<1		
FLUID DEGRAD	DATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D974*	1.0	1.13		



# **OIL ANALYSIS REPORT**

1
 à
 ĩ
1
T
- + +2/0/EIN





VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE		
Yellow Metal	scalar	Visual*	NONE	NONE		
Precipitate	scalar	Visual*	NONE	NONE		
Silt	scalar	Visual*	NONE	NONE		
Debris	scalar	Visual*	NONE	NONE		
Sand/Dirt	scalar	Visual*	NONE	NONE		
Appearance	scalar	Visual*	NORML	NORML		
Odor	scalar	Visual*	NORML	NORML		
Emulsified Water	scalar	Visual*	>0.075	NEG		
Free Water	scalar	Visual*		NEG		
FLUID PROPER	RTIES	method	limit/base	current	history1	history2
/isc @ 40°C	cSt	ASTM D7279(m)	65	55.1		
/isc @ 100°C	cSt	ASTM D7279(m)	11.8	9.5		
/iscosity Index (VI)	Scale	ASTM D2270*	178	156		
SAMPLE IMAG	ES	method	limit/base	current	history1	history2
Color					na ima na	no imoro
Color					no image	no image
Bottom				( 3 0 B)	no image	no image
					ago	inago
GRAPHS				PO		
Ferrous Alloys			1300-	PQ Abnormal		
iron			1200-			
nickel			1100-			
			1000			
ц			900-			
May8/24			008 Way8/24			
			₩ 2 <sup>700.</sup> 600.	1		
Non-ferrous Metals	5		500-			
copper			400			
seeseeseese lead		*****	300-	-		
			200-	Severe		
			100-			
8/24-			.0	24		
May8/24			May8/24	May8/24		
Viscosity @ 40°C				– Acid Number		
Abnormal			(B/HO	Base		
Base			∑ 1.0 Ĕ 0.7			
Abnormal			(D) 1.2 HOX 1.0 Bu 0.7 gen 0.5 N 0.2 W 0.2			
May8/24				24		
			May8/24	May8/24		

Laboratory : W CALA Sample No. : PC Lab Number : 02636422 : 21 May 2024 Stouffville, ON Tested ISO 17025:2017 Accredited Laboratory CA L4A 2G8 Unique Number : 5785584 Diagnosed : 21 May 2024 - Wes Davis Test Package : IND 2 (Additional Tests: KV100, TAN Man, VI) Contact: Shannon Abbott To discuss this sample report, contact Customer Service at 1-800-268-2131. sabbott@gipi.com T: (905)750-5900 Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied. F:

Report Id: GFL286 [WCAMIS] 02636422 (Generated: 05/21/2024 11:56:06) Rev: 1

Contact/Location: Shannon Abbott - GFL286 Page 2 of 2