OIL ANALYSIS REPORT

Machine Id
EX0358
Component
Hydraulic System
Fluid
PETRO CANADA HYDREX XV ALL SEASON HYDRAULIC OIL (--- LTR)

Sample Rating Trend

VISCOSITY

DIAGNOSIS

Recommendation
Confirm the source of the lubricant being utilized for top-up/fill. Resample at the next service interval to monitor. (Customer Sample Comment: Might have mix of hytran ultra and hydrex xv)

Wear
All component wear rates are normal.

Contamination
The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable.

Fluid Condition
The oil viscosity is higher than typical. This plus the additive levels indicates that this is not the same brand, or type of oil as reported. The condition of the oil is acceptable for the time in service.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number		Client Info		**GFL0113348**	---	---
Sample Date		Client Info		**16 May 2024**	---	---
Machine Age	hrs	Client Info		**22386**	---	---
Oil Age	hrs	Client Info		**1500**	---	---
Oil Changed		Client Info		**Not Changd**	---	---
Sample Status				**ABNORMAL**	---	---

CONTAMINATION		method	limit/base	current	history1	history2
Water		WC Method	>0.1	**NEG**	---	---

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)	>20	**19**	---	---
Chromium	ppm	ASTM D5185(m)	>10	**1**	---	---
Nickel	ppm	ASTM D5185(m)	>10	**0**	---	---
Titanium	ppm	ASTM D5185(m)		**0**	---	---
Silver	ppm	ASTM D5185(m)		**0**	---	---
Aluminum	ppm	ASTM D5185(m)	>10	**<1**	---	---
Lead	ppm	ASTM D5185(m)	>10	**0**	---	---
Copper	ppm	ASTM D5185(m)	>75	**4**	---	---
Tin	ppm	ASTM D5185(m)	>10	**0**	---	---
Antimony	ppm	ASTM D5185(m)		**0**	---	---
Vanadium	ppm	ASTM D5185(m)		**0**	---	---
Beryllium	ppm	ASTM D5185(m)		**0**	---	---
Cadmium	ppm	ASTM D5185(m)		**0**	---	---

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)	0	**73**	---	---
Barium	ppm	ASTM D5185(m)	0	**0**	---	---
Molybdenum	ppm	ASTM D5185(m)	0	**0**	---	---
Manganese	ppm	ASTM D5185(m)	1	**<1**	---	---
Magnesium	ppm	ASTM D5185(m)	0	**14**	---	---
Calcium	ppm	ASTM D5185(m)	100	**2787**	---	---
Phosphorus	ppm	ASTM D5185(m)	670	**636**	---	---
Zinc	ppm	ASTM D5185(m)	850	**129**	---	---
Sulfur	ppm	ASTM D5185(m)	1600	**2598**	---	---
Lithium	ppm	ASTM D5185(m)		**<1**	---	---

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>20	**2**	---	---
Sodium	ppm	ASTM D5185(m)		**2**	---	---
Potassium	ppm	ASTM D5185(m)	>20	**2**	---	---

FLUID CLEANLINESS		method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	**3227**	---	---
Particles >6µm		ASTM D7647	>1300	**381**	---	---
Particles >14µm		ASTM D7647	>160	**22**	---	---
Particles >21µm		ASTM D7647	>40	**6**	---	---
Particles >38µm		ASTM D7647	>10	**2**	---	---
Particles >71µm		ASTM D7647	>3	**1**	---	---
Oil Cleanliness		ISO 4406 (c)	>19/17/14	**19/16/12**	---	---

OIL ANALYSIS REPORT

Additives



Particle Trend



Particle Count



Particle Trend



VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	**NONE**	---	---
Yellow Metal	scalar	Visual*	NONE	**NONE**	---	---
Precipitate	scalar	Visual*	NONE	**NONE**	---	---
Silt	scalar	Visual*	NONE	**NONE**	---	---
Debris	scalar	Visual*	NONE	**VLITE**	---	---
Sand/Dirt	scalar	Visual*	NONE	**NONE**	---	---
Appearance	scalar	Visual*	NORML	**NORML**	---	---
Odor	scalar	Visual*	NORML	**NORML**	---	---
Emulsified Water	scalar	Visual*	>0.1	**NEG**	---	---
Free Water	scalar	Visual*		**NEG**	---	---

FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)	47.9	▲ **53.3**	---	---

SAMPLE IMAGES	method	limit/base	current	history1	history2
Color				*no image*	*no image*
Bottom				*no image*	*no image*

GRAPHS

Ferrous Alloys



Non-ferrous Metals

▲ Viscosity @ 40°C



Particle Count



ISO 17025:2017 Accredited Laboratory

Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9
Sample No. : GFL0113348
Lab Number : 02636955
Unique Number : 5786117
Test Package : MOB 1 (Additional Tests: PrtCount)

Received : 22 May 2024
Tested : 23 May 2024
Diagnosed : 23 May 2024 - Kevin Marson

To discuss this sample report, contact Customer Service at 1-800-268-2131.
Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.
Validity of results and interpretation are based on the sample and information as supplied.

GFL Environmental - 720 - Lafleche - Landfill
17125 Lafleche Road,
Moose Creek, ON
CA K0C 1W0
Contact: Charles Bergeron
cbergeron@gflenv.com
T: (613)538-4853
F:

Report Id: GFL720 [WCAMIS] 02636955 (Generated: 05/23/2024 10:35:08) Rev: 1

Submitted By: Charles Bergeron