


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Machine Id
MAX 10 HEATER 1
 Component
Hydraulic System
 Fluid
PETRO CANADA CALFLO AF (17 GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	PCA0067933	PCA0015040	PCAI27954
Sample Date	Client Info	16 Nov 2022	03 Jun 2021	09 Jan 2020
Machine Age	mths Client Info	0	0	14
Oil Age	mths Client Info	36	18	14
Oil Changed	Client Info	Filtered	Filtered	Not Chngd
Sample Status		NORMAL	NORMAL	ABNORMAL

WEAR METALS

method	limit/base	current	history1	history2
Iron ppm ASTM D5185m	>20	<1	4	<1
Chromium ppm ASTM D5185m	>20	0	0	0
Nickel ppm ASTM D5185m	>20	0	0	0
Titanium ppm ASTM D5185m		0	0	0
Silver ppm ASTM D5185m		0	0	0
Aluminum ppm ASTM D5185m	>20	0	0	0
Lead ppm ASTM D5185m	>20	0	0	<1
Copper ppm ASTM D5185m	>20	0	0	<1
Tin ppm ASTM D5185m	>20	<1	0	0
Antimony ppm ASTM D5185m		---	0	0
Vanadium ppm ASTM D5185m		0	0	0
Cadmium ppm ASTM D5185m		0	0	0

ADDITIVES

method	limit/base	current	history1	history2
Boron ppm ASTM D5185m	0	0	<1	<1
Barium ppm ASTM D5185m	0	2	0	0
Molybdenum ppm ASTM D5185m	0	0	<1	0
Manganese ppm ASTM D5185m	0	0	0	0
Magnesium ppm ASTM D5185m	0	<1	0	0
Calcium ppm ASTM D5185m	0	0	0	0
Phosphorus ppm ASTM D5185m	270	257	220	256
Zinc ppm ASTM D5185m	0	<1	7	0
Sulfur ppm ASTM D5185m	10	16	4	3

CONTAMINANTS

method	limit/base	current	history1	history2
Silicon ppm ASTM D5185m	>15	4	3	5
Sodium ppm ASTM D5185m		<1	<1	0
Potassium ppm ASTM D5185m	>20	0	0	<1

FLUID CLEANLINESS


method	limit/base	current	history1	history2
Particles >4µm ASTM D7647	>5000	2747	1495	▲ 30379
Particles >6µm ASTM D7647	>1300	601	415	▲ 9774
Particles >14µm ASTM D7647	>160	46	38	▲ 539
Particles >21µm ASTM D7647	>40	18	14	▲ 94
Particles >38µm ASTM D7647	>10	4	2	3
Particles >71µm ASTM D7647	>3	0	0	0
Oil Cleanliness ISO 4406 (c)	>19/17/14	19/16/13	18/16/12	▲ 22/20/16

FLUID DEGRADATION


method	limit/base	current	history1	history2
Acid Number (AN) mg KOH/g ASTM D8045	0.03	0.62	0.562	0.044

OIL ANALYSIS REPORT


Particle Trend




Acid Number



Viscosity @ 40°C



Particle Trend



VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	VLITE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.05	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG


FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	32.7	30.6	30.0

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------

Color




Bottom




GRAPHS


Ferrous Alloys




Non-ferrous Metals




Viscosity @ 40°C



Particle Count



Acid Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : PCA0067933 **Received** : 28 Nov 2022
Lab Number : 05703801 **Diagnosed** : 01 Dec 2022
Unique Number : 10233375 **Diagnostician** : Jonathan Hester
Test Package : PLANT

GALLAGHER CORPORATION
 3908 MORRISON DR
 GURNEE, IL
 US 60031
 Contact: BRAD CLIFF
 bcliff@gallaghercorp.com
 T: (847)249-3440
 F: (847)249-3473

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)