

## **OIL ANALYSIS REPORT**

Sample Rating Trend





#### 713058 Component Diesel Engine Fluid DIESEL ENGINE OIL SAE 15W40 (--- GAL)

### DIAGNOSIS

#### Recommendation

Oil and filter change at the time of sampling has been noted. No corrective action is recommended at this time. Resample at the next service interval to monitor. ( Customer Sample Comment: 417127 )

#### Wear

All component wear rates are normal.

#### Contamination

Elevated aluminum (Al) and/or lead (Pb) and potassium (K) levels in your metals analysis are likely a result of solder flux release into the lubricant and is common on new equipment/components. There is no indication of any contamination in the oil.

#### Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

			Mar2023	Jun2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		GFL0083423	GFL0074233	
Sample Date		Client Info		07 Jun 2023	23 Mar 2023	
Machine Age	hrs	Client Info		2451	1208	
Oil Age	hrs	Client Info		2451	1208	
Oil Changed		Client Info		Changed	Changed	
Sample Status				NORMAL	NORMAL	
CONTAMINATI	ON	method	limit/base	current	history1	history2
Fuel		WC Method	>3.0	<1.0	<1.0	
Glycol		WC Method		NEG	NEG	
WEAR METALS	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>90	15	17	
Chromium	ppm	ASTM D5185m	>20	<1	<1	
Nickel	ppm	ASTM D5185m	>2	0	<1	
Titanium	ppm	ASTM D5185m	>2	0	0	
Silver	ppm	ASTM D5185m	>2	0	0	
Aluminum	ppm	ASTM D5185m	>20	49	44	
Lead	ppm	ASTM D5185m	>40	0	0	
Copper	ppm	ASTM D5185m	>330	1	2	
Tin	ppm	ASTM D5185m	>15	0	<1	
Vanadium	ppm	ASTM D5185m		<1	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	250	17	2	
Boron Barium	ppm ppm	ASTM D5185m ASTM D5185m	250 10	17 0	2	
Barium	ppm	ASTM D5185m	10	0	0	
Barium Molybdenum	ppm ppm	ASTM D5185m ASTM D5185m	10	0 53	0 60	
Barium Molybdenum Manganese	ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m	10 100	0 53 <1	0 60 1	
Barium Molybdenum Manganese Magnesium	ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	10 100 450	0 53 <1 691	0 60 1 958	
Barium Molybdenum Manganese Magnesium Calcium	ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	10 100 450 3000	0 53 <1 691 1595	0 60 1 958 1194	  
Barium Molybdenum Manganese Magnesium Calcium Phosphorus	ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	10 100 450 3000 1150	0 53 <1 691 1595 830	0 60 1 958 1194 1091	   
Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350	0 53 <1 691 1595 830 1045	0 60 1 958 1194 1091 1269	   
Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250	0 53 <1 691 1595 830 1045 3007	0 60 1 958 1194 1091 1269 3054 <u>history1</u> 7	    
Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINAN	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250 limit/base	0 53 <1 691 1595 830 1045 3007 current	0 60 1 958 1194 1091 1269 3054 history1	     history2
Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINAN Silicon	ppm ppm ppm ppm ppm ppm ppm ppm TS	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250 <i>limit/base</i> >25	0 53 <1 691 1595 830 1045 3007 current 6	0 60 1 958 1194 1091 1269 3054 <u>history1</u> 7	    history2
Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium	ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250 limit/base >25 >158	0 53 <1 691 1595 830 1045 3007 current 6 7	0 60 1 958 1194 1091 1269 3054 history1 7 7	     history2
Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium	ppm	ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250 <b>limit/base</b> >25 >158 >20	0 53 <1 691 1595 830 1045 3007 current 6 7 122	0 60 1 958 1194 1091 1269 3054 <u>history1</u> 7 7 7	    history2  
Barium Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium INFRA-RED	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250 <i>limit/base</i> >25 >158 >20 <i>limit/base</i> >6	0 53 <1 691 1595 830 1045 3007 current 6 7 122 current	0 60 1 958 1194 1091 1269 3054 history1 7 7 7 111 11 history1	    history2  history2
Barium Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium INFRA-RED Soot %	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250 <i>limit/base</i> >25 >158 >20 <i>limit/base</i> >6	0 53 <1 691 1595 830 1045 3007 current 6 7 122 current 0.4	0 60 1 958 1194 1091 1269 3054 history1 7 7 7 111 history1 0.3	    history2  history2
Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium INFRA-RED Soot % Nitration	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250 <b>limit/base</b> >25 >158 >20 <b>limit/base</b> >6 >20	0 53 <1 691 1595 830 1045 3007 current 6 7 122 current 0.4 9.8	0 60 1 958 1194 1091 1269 3054 <u>history1</u> 7 7 7 111 111 0.3 7.6	<ul> <li></li> <li></li> <li></li> <li></li> <li></li> <li>history2</li> <li></li> <li>history2</li> <li></li> <li>history2</li> </ul>
Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium INFRA-RED Soot % Nitration Sulfation	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	10 100 450 3000 1150 1350 4250 limit/base >25 >158 >20 limit/base >6 >20 >30	0 53 <1 691 1595 830 1045 3007 current 6 7 122 current 0.4 9.8 21.0	0 60 1 958 1194 1091 1269 3054 history1 7 7 7 111 0.3 7.6 19.1	     history2  history2  history2




31


10


0 Mar23/23

# **OIL ANALYSIS REPORT**

VISUAL







To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Certificate L2367

Submitted By: TECHNICIAN ACCOUNT

T:

F: