

PROBLEM SUMMARY

Sample Rating Trend

VISUAL METAL

Machine Id **2126994**

Component

Transmission (Manual)

NOT GIVEN (--- QTS)

COMPONENT CONDITION SUMMARY

No relevant graphs to display

RECOMMENDATION

We recommend you service the filters on this component. Resample at the next service interval to monitor.

PROBLEMATION	C TEST	RESULT	S		
Sample Status				ABNORMAL	
White Metal	scalar	*Visual	NONE	MODER	

Customer Id: PERLEWNC Sample No.: PCA0101126 Lab Number: 05894111 Test Package: FLEET

To manage this report scan the QR code

To discuss the diagnosis or test data:

Don Baldridge +1 don.b505@comcast.net

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED ACTIONS						
Action	Status	Date	Done By	Description		
Change Filter			?	We recommend you service the filters on this component.		

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

Sample Status

Oil Age Oil Changed

Iron Chromium

Nickel

Silver Aluminum Lead Copper Tin Vanadium Cadmium

Boron Barium

Titanium

Sample Rating Trend

VISUAL METAL



Machine Id 2126994

Component

Transmission (Manual)

NOT GIVEN (--- QTS)

DIAGNOSIS

Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor.

Moderate concentration of visible metal present. All component wear rates are normal.

Contamination

There is no indication of any contamination in the

Fluid Condition

The condition of the fluid is acceptable for the time in service.

				Jul2023		
SAMPLE INFORM	/ATION	method	limit/base	current	history 1	history 2
Sample Number		Client Info		PCA0101126		
Sample Date		Client Info		06 Jul 2023		
Machine Age	mls	Client Info		73940		
Oil Age	mls	Client Info		73940		
Oil Changed		Client Info		Not Changd		
Sample Status				ABNORMAL		
WEAR METALS	3	method	limit/base	current	history 1	history 2
Iron	ppm	ASTM D5185m	>200	89		
Chromium	ppm	ASTM D5185m	>5	2		
Nickel	ppm	ASTM D5185m	>5	2		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m	>7	<1		
Aluminum	ppm	ASTM D5185m	>25	<1		
Lead	ppm	ASTM D5185m	>45	<1		
Copper	ppm	ASTM D5185m	>225	55		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history 1	history 2
Boron	ppm	ASTM D5185m		<1		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		2		
Manganese	ppm	ASTM D5185m		56		
Magnesium	ppm	ASTM D5185m		2		
Calcium	ppm	ASTM D5185m		939		
Phosphorus	ppm	ASTM D5185m		709		
Zinc	ppm	ASTM D5185m		8		
Sulfur	ppm	ASTM D5185m		4885		

Molybdenum	ppm	ASTM D5185m		2		
Manganese	ppm	ASTM D5185m		56		
Magnesium	ppm	ASTM D5185m		2		
Calcium	ppm	ASTM D5185m		939		
Phosphorus	ppm	ASTM D5185m		709		
Zinc	ppm	ASTM D5185m		8		
Sulfur	ppm	ASTM D5185m		4885		
CONTAMINAN	TS	method	limit/base	current	history 1	history 2
Silicon	ppm	ASTM D5185m	>125	69		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	3		
VISUAL		method	limit/base	current	history 1	history 2
VISUAL White Metal	scalar	method *Visual	limit/base NONE	current MODER	history 1	history 2
	scalar scalar				history 1	history 2
White Metal		*Visual	NONE	▲ MODER		
White Metal Yellow Metal	scalar	*Visual	NONE NONE	MODER NONE		
White Metal Yellow Metal Precipitate	scalar scalar	*Visual *Visual *Visual	NONE NONE	MODER NONE NONE		
White Metal Yellow Metal Precipitate Silt	scalar scalar scalar	*Visual *Visual *Visual *Visual	NONE NONE NONE	MODER NONE NONE NONE		
White Metal Yellow Metal Precipitate Silt Debris	scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE	MODER NONE NONE NONE NONE		
White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt	scalar scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE NONE	MODER NONE NONE NONE NONE NONE		
White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt Appearance	scalar scalar scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE NONE NONE NONE NORML	MODER NONE NONE NONE NONE NONE NONE NONE		
White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt Appearance Odor	scalar scalar scalar scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE NONE NONE NONE NORML	MODER NONE NONE NONE NONE NONE NONE NONE NO		

Visc @ 40°C


cSt

ASTM D445

Contact/Location: NELSON WALLACE - PERLEWNC




OIL ANALYSIS REPORT







GRAPHS



Non-ferrous Metals







Certificate L2367

Laboratory Sample No. Lab Number Unique Number : 10549921

: PCA0101126 : 05894111 Test Package : FLEET

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 10 Jul 2023 Diagnosed : 12 Jul 2023

Diagnostician : Don Baldridge

210 GRIFFINS QUARTER RD LEWISTON, NC US 27849

PERDUE FARMS - Lewiston

Contact: NELSON WALLACE nelson.wallace2@perdue.com

T:

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: