


# **OIL ANALYSIS REPORT**

Sample Rating Trend



**NORMAL** 



<sup>Machine Id</sup> **427183 - SW4723** 

Component

**Transmission (Manual)** 

NOT GIVEN (--- GAL)

# DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

All component wear rates are normal.

## Contamination

There is no indication of any contamination in the fluid.

### **Fluid Condition**

The condition of the fluid is acceptable for the time in service.

			Feb 2023	Jul2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		GFL0085408	GFL0065810	
Sample Date		Client Info		06 Jul 2023	09 Feb 2023	
Machine Age	mls	Client Info		293632	273859	
Oil Age	mls	Client Info		0	0	
Oil Changed		Client Info		N/A	N/A	
Sample Status				NORMAL	NORMAL	
WEAR METALS	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	31	57	
Chromium	ppm	ASTM D5185m	>5	0	0	
Nickel	ppm	ASTM D5185m	>5	0	0	
Titanium	ppm	ASTM D5185m		0	0	
Silver	ppm	ASTM D5185m	>7	0	0	
Aluminum	ppm	ASTM D5185m	>25	8	11	
Lead	ppm	ASTM D5185m	>45	0	2	
Copper	ppm	ASTM D5185m	>225	31	20	
Tin	ppm		>10	0	<1	
Vanadium	ppm	ASTM D5185m	-	0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		120	113	
Barium	ppm	ASTM D5185m		0	0	
Molybdenum	ppm	ASTM D5185m		0	<1	
Manganese	ppm	ASTM D5185m		0	<1	
Magnesium	ppm	ASTM D5185m		0	2	
Calcium	ppm	ASTM D5185m		179	160	
Phosphorus	ppm	ASTM D5185m		491	400	
Zinc	ppm	ASTM D5185m		12	26	
Sulfur	ppm	ASTM D5185m		2214	1607	
CONTAMINAN <sup>*</sup>	TS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>125	5	8	
Sodium	ppm	ASTM D5185m		7	2	
Potassium	ppm	ASTM D5185m	>20	0	1	
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
Precipitate	scalar	*Visual	NONE	NONE	NONE	
Silt	scalar	*Visual	NONE	NONE	NONE	
Debris	scalar	*Visual	NONE	NONE	NONE	
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Appearance	scalar	*Visual	NORML	NORML	NORML	
Odor	scalar	*Visual	NORML	NORML	NORML	
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	
Free Water	scalar	*Visual		NEG	NEG	

Visc @ 40°C


26.9 Contact/Location: See also GFL977,980,983,865,856,859 - Gino Griego - GFL983

66.9

ASTM D445




# **OIL ANALYSIS REPORT**





SAMPLE IMAGES	method	limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image

## **GRAPHS**



### Non-ferrous Metals









Laboratory Sample No. Lab Number Unique Number : 10552391

: GFL0085408 : 05896581 Test Package : FLEET

To discuss this sample report, contact Customer Service at 1-800-237-1369.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 12 Jul 2023 Diagnosed : 14 Jul 2023

Diagnostician : Don Baldridge

GFL Environmental - 983 - Sugar Land Hauling 16011 West Belfort Street Sugar Land, TX

US 77498 Contact: Gino Griego

ggriego@gflenv.com T:

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: