

## **PROBLEM SUMMARY**



Machine Id 927653

Component Diesel Engine Fluid NOT GIVEN (--- GAL)

## COMPONENT CONDITION SUMMARY



## RECOMMENDATION

No corrective action is recommended at this time. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS											
Sample Status		ABNORMAL									
Silicon	ppm	ASTM D5185m	>25	<u> </u>							

Customer Id: GFL918 Sample No.: GFL0078784 Lab Number: 05899185 Test Package: FLEET



To manage this report scan the QR code

*To discuss the diagnosis or test data:* Jonathan Hester +1 919-379-4092 x4092 <u>jhester@wearcheckusa.com</u>

*To change component or sample information:* Customer Service +1 1-800-237-1369 <u>customerservice@wearcheck.com</u> There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



## **OIL ANALYSIS REPORT**

Sample Rating Trend



Machine Id 927653

Component Diesel Engine Fluid NOT GIVEN (--- GAL)

### DIAGNOSIS

#### Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

### Contamination

Elemental level of silicon (Si) above normal indicating ingress of seal material.

#### Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		GFL0078784		
Sample Date		Client Info		08 Jul 2023		
	hrs	Client Info		14939		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
		method	limit/base			history 0
				current	history1	history2
Fuel		WC Method	>5	<1.0		
Glycol		WC Method		NEG		
WEAR METALS	;	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>100	20		
Chromium	ppm	ASTM D5185m	>20	<1		
Nickel	ppm	ASTM D5185m	>4	0		
	ppm	ASTM D5185m		0		
	ppm	ASTM D5185m	>3	0		
	ppm	ASTM D5185m	>20	2		
	ppm	ASTM D5185m	>40	- <1		
	ppm	ASTM D5185m		2		
	ppm	ASTM D5185m	>15	_ <1		
	ppm	ASTM D5185m		0		
	ppm	ASTM D5185m		0		
ADDITIVES	1- 1-	method	limit/base		biotomut	biotom/0
_			IIIIII/Dase	current	history1	history2
	ppm	ASTM D5185m		4		
	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		62		
				-		
Manganese	ppm	ASTM D5185m		<1		
Manganese Magnesium	ppm	ASTM D5185m		1045		
Manganese Magnesium Calcium						
Manganese Magnesium Calcium	ppm	ASTM D5185m		1045 1139 1100		
Manganese Magnesium Calcium Phosphorus	ppm ppm	ASTM D5185m ASTM D5185m		1045 1139		
Manganese Magnesium Calcium Phosphorus Zinc	ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m		1045 1139 1100		
Manganese Magnesium Calcium Phosphorus Zinc	ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	limit/base	1045 1139 1100 1377	 	
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT	ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m		1045 1139 1100 1377 3864		
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon	ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m method		1045 1139 1100 1377 3864 current		   history2
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon Sodium	ppm ppm ppm ppm ppm <b>S</b>	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m <b>method</b> ASTM D5185m		1045 1139 1100 1377 3864 <u>current</u> ▲ 51		   history2
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon Sodium	ppm ppm ppm ppm ppm S ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m <b>method</b> ASTM D5185m ASTM D5185m	>25	1045 1139 1100 1377 3864 <u>current</u> ▲ 51 3	   history1 	  history2 
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon Sodium Potassium INFRA-RED	ppm ppm ppm ppm ppm <b>S</b> ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	>25 >20 limit/base	1045 1139 1100 1377 3864 current 51 3 3 3 Current	   history1  	  history2  
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon Sodium Potassium INFRA-RED Soot %	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	>25 >20 limit/base >3	1045 1139 1100 1377 3864 <b>current</b> 3 3 3 <b>current</b> 0.8	   history1   history1	  history2   history2
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon Sodium Potassium INFRA-RED Soot % Nitration	ppm ppm ppm ppm ppm <b>S</b> ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	>25 >20 limit/base >3 >20	1045 1139 1100 1377 3864 current 51 3 3 3 Current	   history1  	  history2   history2
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon Sodium Potassium INFRA-RED Soot % Nitration Sulfation	ppm ppm ppm ppm ppm ppm ppm ppm ppm % Abs/cm Abs/.1mm	ASTM D5185m ASTM D5185m	>25 >20 limit/base >3 >20 >30	1045 1139 1100 1377 3864 <urrent ▲ 51 3 3 Current 0.8 9.1 21.2</urrent 	   history1   history1   	 history2   history2  history2
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon Sodium Potassium INFRA-RED Soot % Nitration Sulfation FLUID DEGRAD	ppm ppm ppm ppm ppm ppm ppm ppm ppm kbs/cm Abs/cm Abs/1mm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *ASTM D7844 *ASTM D7824 *ASTM D7624 *ASTM D7615	>25 >20 limit/base >3 >20 >30 limit/base	1045 1139 1100 1377 3864 <urrent <urrent 0.8 9.1 21.2 current</urrent </urrent 	   history1   history1   history1	  history2  history2  history2  history2  history2
Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANT Silicon Sodium Potassium INFRA-RED Soot % Nitration Sulfation FLUID DEGRADA Oxidation	ppm ppm ppm ppm ppm ppm ppm ppm ppm % Abs/cm Abs/.1mm	ASTM D5185m ASTM D5185m	>25 >20 limit/base >3 >20 >30 limit/base	1045 1139 1100 1377 3864 <urrent ▲ 51 3 3 Current 0.8 9.1 21.2</urrent 	   history1   history1   	 history2   history2  history2



# **OIL ANALYSIS REPORT**

method


limit/base


current

history1


history2

VISUAL









 Certificate 12367
 Test Package
 : FLEET

 To discuss this sample report, contact Customer Service at 1-800-237-1369.
 \*

 \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: All GFLUSADS Wisconsin - Matthew Taylor - GFL918

T:

F:

Contact: Matthew Taylor

matthew.taylor@gflenv.com