


OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL



Machine Id
DT702
 Component
Transmission (Auto)
 Fluid
COGNIS EMGARD 2805 ATF (36 hrs)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The condition of the oil is acceptable for the time in service.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			PCA0102180	PCA0087376	PCA0078463
Sample Date	Client Info			10 Aug 2023	21 Dec 2022	01 Aug 2022
Machine Age	mls	Client Info		202260	177398	125501
Oil Age	mls	Client Info		0	0	125501
Oil Changed	Client Info			Not Chngd	Not Chngd	N/A
Sample Status				NORMAL	NORMAL	NORMAL

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>160	62	48	65
Chromium	ppm	ASTM D5185m	>5	<1	0	<1
Nickel	ppm	ASTM D5185m	>5	0	0	0
Titanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m	>5	0	0	<1
Aluminum	ppm	ASTM D5185m	>50	14	11	26
Lead	ppm	ASTM D5185m	>50	20	17	41
Copper	ppm	ASTM D5185m	>225	29	22	41
Tin	ppm	ASTM D5185m	>10	2	0	3
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0


ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		137	149	222
Barium	ppm	ASTM D5185m		1	0	0
Molybdenum	ppm	ASTM D5185m		3	2	0
Manganese	ppm	ASTM D5185m		<1	<1	<1
Magnesium	ppm	ASTM D5185m		21	19	<1
Calcium	ppm	ASTM D5185m		121	122	126
Phosphorus	ppm	ASTM D5185m		374	403	439
Zinc	ppm	ASTM D5185m		52	42	<1
Sulfur	ppm	ASTM D5185m		2229	1970	2762

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	4	3	5
Sodium	ppm	ASTM D5185m		2	5	6
Potassium	ppm	ASTM D5185m	>20	2	0	2

VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG




FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	38.9	37.7	37.5	34.6

OIL ANALYSIS REPORT



SAMPLE IMAGES	method	limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image

GRAPHS



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : PCA0102180
Lab Number : 05925685
Unique Number : 10605632
Test Package : FLEET

Received : 15 Aug 2023
Diagnosed : 17 Aug 2023
Diagnostician : Jonathan Hester

NW WHITE & CO - COLUMBIA DIVISION
 100 INDEPENDENCE BLVD
 COLUMBIA, SC
 US 29210
 Contact: GEORGE EDWARDS
 gedwards@nwwhite.com

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:
F: