


# PROBLEM SUMMARY

Sample Rating Trend




ISO



Area  
**[98375876]**  
 Machine Id  
**KR-GR-001078 - 650 LB MIXER (S/N KOSHER SPICE - 11513205)**  
 Component  
**Gearbox**  
 Fluid  
**GEAR OIL ISO 220 (--- QTS)**

## COMPONENT CONDITION SUMMARY

▲ Particle Trend



## RECOMMENDATION

We recommend you service the filters on this component if applicable. Resample at the next service interval to monitor.

## PROBLEMATIC TEST RESULTS

Sample Status			ABNORMAL	NORMAL	NORMAL
Particles >4µm	ASTM D7647	>20000	▲ 316544	---	---
Particles >6µm	ASTM D7647	>5000	▲ 144730	---	---
Particles >14µm	ASTM D7647	>640	▲ 2796	---	---
Oil Cleanliness	ISO 4406 (c)	>21/19/16	▲ 25/24/19	---	---

Customer Id: KRAKIR  
 Sample No.: PCA0102555  
 Lab Number: 05926097  
 Test Package: IND 2



To manage this report scan the QR code

To discuss the diagnosis or test data:  
 Don Baldrige +1  
[don.b505@comcast.net](mailto:don.b505@comcast.net)

To change component or sample information:  
 Customer Service +1 1-800-237-1369  
[customerservice@wearcheck.com](mailto:customerservice@wearcheck.com)

## RECOMMENDED ACTIONS

Action	Status	Date	Done By	Description
Change Filter	---	---	?	We recommend you service the filters on this component if applicable.

## HISTORICAL DIAGNOSIS

13 May 2023 Diag: Jonathan Hester

NORMAL



Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

view report



23 Feb 2023 Diag: Jonathan Hester

NORMAL



Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

view report



14 Nov 2022 Diag: Jonathan Hester

VISCOSITY




No corrective action is recommended at this time. Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. Viscosity of sample indicates oil is within ISO 460 range, advise investigate. Confirm oil type. The condition of the oil is acceptable for the time in service.

view report



# OIL ANALYSIS REPORT

Sample Rating Trend



ISO



Area  
**[98375876]**  
 Machine Id  
**KR-GR-001078 - 650 LB MIXER (S/N KOSHER SPICE - 11513205)**  
 Component  
**Gearbox**  
 Fluid  
**GEAR OIL ISO 220 (--- QTS)**

## DIAGNOSIS

### Recommendation

We recommend you service the filters on this component if applicable. Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

There is a high amount of particulates present in the oil.

### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

## SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	<b>PCA0102555</b>	PCA0096600	PCA0093094
Sample Date	Client Info	<b>01 Aug 2023</b>	13 May 2023	23 Feb 2023
Machine Age	hrs	Client Info	0	0
Oil Age	hrs	Client Info	0	0
Oil Changed	Client Info	<b>N/A</b>	N/A	N/A
Sample Status		<b>ABNORMAL</b>	NORMAL	NORMAL

## WEAR METALS

method	limit/base	current	history1	history2	
Iron	ppm	ASTM D5185m >200	<b>108</b>	90	57
Chromium	ppm	ASTM D5185m >15	<b>&lt;1</b>	<1	<1
Nickel	ppm	ASTM D5185m >15	<b>&lt;1</b>	<1	0
Titanium	ppm	ASTM D5185m	<b>&lt;1</b>	<1	<1
Silver	ppm	ASTM D5185m	<b>0</b>	0	0
Aluminum	ppm	ASTM D5185m >25	<b>4</b>	3	2
Lead	ppm	ASTM D5185m >100	<b>0</b>	<1	<1
Copper	ppm	ASTM D5185m >200	<b>&lt;1</b>	<1	<1
Tin	ppm	ASTM D5185m >25	<b>0</b>	0	0
Vanadium	ppm	ASTM D5185m	<b>0</b>	0	0
Cadmium	ppm	ASTM D5185m	<b>0</b>	0	0

## ADDITIVES

method	limit/base	current	history1	history2	
Boron	ppm	ASTM D5185m 50	<b>3</b>	2	2
Barium	ppm	ASTM D5185m 15	<b>4</b>	0	0
Molybdenum	ppm	ASTM D5185m 15	<b>281</b>	284	258
Manganese	ppm	ASTM D5185m	<b>2</b>	1	<1
Magnesium	ppm	ASTM D5185m 50	<b>3</b>	2	0
Calcium	ppm	ASTM D5185m 50	<b>94</b>	90	68
Phosphorus	ppm	ASTM D5185m 350	<b>816</b>	816	740
Zinc	ppm	ASTM D5185m 100	<b>38</b>	32	12
Sulfur	ppm	ASTM D5185m 12500	<b>17880</b>	17563	13401

## CONTAMINANTS

method	limit/base	current	history1	history2	
Silicon	ppm	ASTM D5185m >50	<b>12</b>	10	8
Sodium	ppm	ASTM D5185m	<b>1</b>	5	0
Potassium	ppm	ASTM D5185m >20	<b>1</b>	<1	<1





## FLUID CLEANLINESS

method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647 >20000	<b>▲ 316544</b>	---	---
Particles >6µm	ASTM D7647 >5000	<b>▲ 144730</b>	---	---
Particles >14µm	ASTM D7647 >640	<b>▲ 2796</b>	---	---
Particles >21µm	ASTM D7647 >160	<b>130</b>	---	---
Particles >38µm	ASTM D7647 >40	<b>0</b>	---	---
Particles >71µm	ASTM D7647 >10	<b>0</b>	---	---
Oil Cleanliness	ISO 4406 (c) >21/19/16	<b>▲ 25/24/19</b>	---	---

## FLUID DEGRADATION

method	limit/base	current	history1	history2	
Acid Number (AN)	mg KOH/g	ASTM D8045 0.85	<b>1.68</b>	---	---

# OIL ANALYSIS REPORT








VISUAL	method	limit/base	current	history1	history2	
White Metal	scalar	*Visual	NONE	<b>LIGHT</b>	MODER	MODER
Yellow Metal	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Precipitate	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Silt	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Debris	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Appearance	scalar	*Visual	NORML	<b>NORML</b>	NORML	NORML
Odor	scalar	*Visual	NORML	<b>NORML</b>	NORML	NORML
Emulsified Water	scalar	*Visual	>0.2	<b>NEG</b>	NEG	NEG
Free Water	scalar	*Visual		<b>NEG</b>	NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2	
Visc @ 40°C	cSt	ASTM D445	220	<b>426</b>	414	419

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------



## GRAPHS



**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : PCA0102555 **Received** : 16 Aug 2023  
**Lab Number** : **05926097** **Diagnosed** : 17 Aug 2023  
**Unique Number** : 10606044 **Diagnostician** : Don Baldrige  
**Test Package** : IND 2 ( Additional Tests: PrtCount )

**KraftHeinz - Kirksville - Plant 8333 PCA**  
 2504 INDUSTRIAL DR  
 KIRKSVILLE, MO  
 US 63501  
 Contact: WALLACE WARD  
 wallace.ward@kraftheinzcompany.com  
 T: (660)627-1031  
 F: (660)627-5887

To discuss this sample report, contact Customer Service at 1-800-237-1369.  
 \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.  
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)