

OIL ANALYSIS REPORT




{UNASSIGNED} 933045

Component

Transmission (Auto)

PETRO CANADA DuraDrive HD Synthetic 668 (8 GAL)





DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the


Fluid Condition

The condition of the oil is acceptable for the time in service.

e חט Synthetic ססס	(O GAL)		Aug2023	Aug2023		
SAMPLE INFOF	RMATION	method	limit/base	current	history1	history2
Sample Number		Client Info		GFL0088740	GFL0088788	
Sample Date		Client Info		16 Aug 2023	01 Aug 2023	
Machine Age	hrs	Client Info		517	347	
Oil Age	hrs	Client Info		517	347	
Oil Changed		Client Info		Not Changd	Not Changd	
Sample Status				NORMAL	NORMAL	
WEAR METAL	_S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>220	43	30	
Chromium	ppm	ASTM D5185m	>2	0	0	
Nickel	ppm	ASTM D5185m	>5	<1	<1	
Titanium	ppm	ASTM D5185m		0	0	
Silver	ppm	ASTM D5185m	>5	<1	0	
Aluminum	ppm	ASTM D5185m	>75	9	5	
Lead	ppm	ASTM D5185m	>95	<1	<1	
Copper	ppm	ASTM D5185m	>60	9	6	
Tin	ppm	ASTM D5185m	>10	1	<1	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		71	69	
Barium	ppm	ASTM D5185m		3	0	
Molybdenum	ppm	ASTM D5185m		<1	<1	
Manganese	ppm	ASTM D5185m		1	1	
Magnesium	ppm	ASTM D5185m		1	<1	
Calcium	ppm	ASTM D5185m		151	125	
Phosphorus	ppm	ASTM D5185m		250	203	
Zinc	ppm	ASTM D5185m		30	21	
Sulfur	ppm	ASTM D5185m		2774	1852	
CONTAMINAN	NTS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	6	4	
Sodium	ppm	ASTM D5185m		1	3	
Potassium	ppm	ASTM D5185m	>20	4	3	
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
Precipitate	scalar	*Visual	NONE	NONE	NONE	
Silt	scalar	*Visual	NONE	NONE	NONE	
Debris	scalar	*Visual	NONE	NONE	LIGHT	
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Appearance	scalar	*Visual	NORML	NORML	NORML	
Odor	scalar	*Visual	NORML	NORML	NORML	
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	
Free Water	scalar	*Visual		NEG	NEG	
FLUID PROPE	ERTIES	method	limit/base	current	history1	history2
Vian @ 40°C	- 04	ACTM DAAE	0.4	22.0	22.7	




OIL ANALYSIS REPORT







GRAPHS



Non-ferrous Metals









Certificate L2367

Laboratory Sample No. Lab Number Unique Number : 10607589

: GFL0088740 : 05927642 Test Package : FLEET

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 17 Aug 2023 Diagnosed : 18 Aug 2023

Diagnostician : Sean Felton

GFL Environmental - 010 - Stockbridge 1280 Rum Creek Parkway

Stockbridge, GA US 30281

Contact: JOSHUA TINKER joshuatinker@gflenv.com

T: F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)