

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL



Area {UNASSIGNED} 834016

Component **Transmission (Auto)** Fluid

PETRO CANADA DuraDrive HD Synthetic 668 (8 GAL)


DIAGNOSIS	SAMPLE INFOR	MATION	method	limit/base	current	history1	history2
Recommendation	Sample Number		Client Info		GFL0088776		
Resample at the next service interval to monitor.	Sample Date		Client Info		16 Aug 2023		
Wear	Machine Age	hrs	Client Info		192		
All component wear rates are normal.	Oil Age	hrs	Client Info		192		
Contamination	Oil Changed		Client Info		Not Changd		
There is no indication of any contamination in the	Sample Status				NORMAL		
oil.	WEAR METAL	c	method	limit/base	current	history1	history2
Fluid Condition							
The condition of the oil is acceptable for the time in	Iron	ppm	ASTM D5185m		28		
service.	Chromium	ppm	ASTM D5185m		0		
	Nickel	ppm	ASTM D5185m		0		
	Titanium	ppm	ASTM D5185m		0		
	Silver	ppm	ASTM D5185m		0		
	Aluminum	ppm	ASTM D5185m		8		
	Lead	ppm	ASTM D5185m		<1		
	Copper	ppm	ASTM D5185m		6		
	Tin	ppm	ASTM D5185m	>5	<1		
	Vanadium	ppm	ASTM D5185m		0		
	Cadmium	ppm	ASTM D5185m		0		
	ADDITIVES		method	limit/base	current	history1	history2
	Boron	ppm	ASTM D5185m		61		
	Barium	ppm	ASTM D5185m		3		
	Molybdenum	ppm	ASTM D5185m		<1		
	Manganese	ppm	ASTM D5185m		1		
	Magnesium	ppm	ASTM D5185m		1		
	Calcium	ppm	ASTM D5185m		124		
	Phosphorus	ppm	ASTM D5185m		202		
	Zinc	ppm	ASTM D5185m		19		
	Sulfur	ppm	ASTM D5185m		1723		
	CONTAMINAN	ITS	method	limit/base	current	history1	history2
	Silicon	ppm	ASTM D5185m		13		
	Sodium	ppm	ASTM D5185m	220	0		
	Potassium	ppm	ASTM D5185m	>20	4		
	VISUAL	I- I-	method	limit/base		history1	history2
						history1	TIIStOLYZ
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
	Appearance	scalar	*Visual	NORML	NORML		
	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.1	NEG		
	Free Water	scalar	*Visual		NEG		
	FLUID PROPE	RTIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	34	32.9		

Report Id: GFL010 [WUSCAR] 05927644 (Generated: 08/18/2023 15:04:49) Rev: 1

Submitted By: JOSHUA TINKER



OIL ANALYSIS REPORT



Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Submitted By: JOSHUA TINKER

Page 2 of 2

F: