

## **PROBLEM SUMMARY**

Sample Rating Trend

DIRT


## VOLVO 26441

Component

**Main Transmission** 

**NOT GIVEN (--- GAL)** 

#### **COMPONENT CONDITION SUMMARY**



#### RECOMMENDATION

We recommend you service the filters on this component. Resample at the next service interval to monitor.

# PROBLEMATIC TEST RESULTS Sample Status ABNORMAL -- -- Silicon ppm ASTM D5185m >50 65 -- -- White Metal scalar \*Visual NONE MODER -- --

Customer Id: PERDILSC
Sample No.: PCA0102772
Lab Number: 05928521
Test Package: FLEET

To manage this report scan the QR code

To discuss the diagnosis or test data:
Don Baldridge +1
don.b505@comcast.net

To change component or sample information:
Customer Service +1 1-800-237-1369
customerservice@wearcheck.com

RECOMMENDED ACTIONS										
Action	Status	Date	Done By	Description						
Change Filter			?	We recommend you service the filters on this component.						

## HISTORICAL DIAGNOSIS




**VOLVO 26441** 

**Main Transmission** 

## **OIL ANALYSIS REPORT**

Sample Rating Trend







## **NOT GIVEN (--- GAL) DIAGNOSIS**

Component

#### Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor.

#### Wear

Moderate concentration of visible metal present. All component wear rates are normal.

#### Contamination

Elemental level of silicon (Si) above normal indicating ingress of seal material.

#### **Fluid Condition**

The condition of the fluid is acceptable for the time in service.

			,	Aug2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0102772		
Sample Date		Client Info		16 Aug 2023		
Machine Age	hrs	Client Info		386688		
Oil Age	hrs	Client Info		175368		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
WEAR METALS	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	79		
Chromium	ppm	ASTM D5185m	>10	1		
Nickel	ppm	ASTM D5185m		9		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		<1		
Aluminum	ppm	ASTM D5185m	>50	5		
Lead	ppm	ASTM D5185m	>50	2		
Copper	ppm	ASTM D5185m	>200	59		
Tin	ppm		>10	<1		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		7		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		2		
Manganese	ppm	ASTM D5185m		17		
Magnesium	ppm	ASTM D5185m		4		
Calcium	ppm	ASTM D5185m		821		
Phosphorus	ppm	ASTM D5185m		652		
Zinc	ppm	ASTM D5185m		24		
Sulfur	ppm	ASTM D5185m		5175		
CONTAMINAN	TS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	<b>6</b> 5		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	2		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	▲ MODER		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPE	RTIES	method	limit/base	current	history1	history2

Visc @ 40°C


cSt

ASTM D445

52.3



### **OIL ANALYSIS REPORT**







Laboratory Sample No. Lab Number

Unique Number : 10608468 Test Package : FLEET

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : PCA0102772 Received : 18 Aug 2023 : 05928521 Diagnosed : 21 Aug 2023 Diagnostician : Don Baldridge

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

**PERDUE FARMS - DILLON** 

2047 HWY 9 WEST DILLON, SC US 29536

Contact: KEVIN HOOKS kevin.hooks@perdue.com

Submitted By: KEVIN HOOKS

T: (843)841-8069 F: (843)841-8070