


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Machine Id **2227006**

Component

Rear Differential

GEAR OIL SAE 75W90 (--- QTS)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the

Fluid Condition

The condition of the oil is acceptable for the time in service.

				Apr2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0095539		
Sample Date		Client Info		17 Apr 2023		
Machine Age	mls	Client Info		30298		
Oil Age	mls	Client Info		0		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
WEAR METALS	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>500	<1		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m	>10	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	0		
Lead	ppm	ASTM D5185m	>25	<1		
Copper	ppm	ASTM D5185m	>100	0		
Tin	ppm	ASTM D5185m	>100	<1		
Vanadium	ppm	ASTM D5185m	7 10	0		
Cadmium	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	nnm	ASTM D5185m	400	326		
Barium	ppm	ASTM D5185m	200	0		
	ppm	ASTM D5185m	12	0		
Monganasa	ppm		12	0		
Manganese	ppm	ASTM D5185m ASTM D5185m	12	0		
Magnesium Calcium	ppm	ASTM D5185m	150	0		
	ppm	ASTM D5185m	1650	1477		
Phosphorus Zinc	ppm		125	0		
Sulfur	ppm	ASTM D5185m ASTM D5185m	22500	28754		
	ppm					
CONTAMINAN		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	<1		
Sodium	ppm	ASTM D5185m	00	<1		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>.2	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPE	RTIES	method	limit/base	current	history1	history2

Visc @ 40°C


cSt

ASTM D445 109

Contact/Location: GEORGE LACATES - PERBRIDE




OIL ANALYSIS REPORT







GRAPHS



Non-ferrous Metals









Certificate L2367

Laboratory Sample No. Lab Number

Unique Number : 10616341 Test Package : FLEET

: PCA0095539 : 05931070

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received Diagnosed

: 22 Aug 2023 : 23 Aug 2023 Diagnostician : Don Baldridge **PERDUE FARMS - BRIDGEVILLE** 8634 E NEWTON RD

BRIDGEVILLE, DE US 19933

Contact: GEORGE LACATES

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:

F: