


## **PROBLEM SUMMARY**




## Machine Id CRANE 5 EAST BRIDGE

**Gearbox** 

PETRO CANADA ENDURATEX EP 220 (--- GAL)

## COMPONENT CONDITION SUMMARY



### RECOMMENDATION

No corrective action is recommended at this time. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS										
Sample Status			ABNORMAL	NORMAL						
Silicon	ppm	ASTM D5185m	>50	<u> </u>	15					

Customer Id: SDITER Sample No.: PCA0101520 Lab Number: 05937380 Test Package: PLANT



To manage this report scan the QR code

*To discuss the diagnosis or test data:* Don Baldridge +1 <u>don.b505@comcast.net</u>

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com There are no recommended actions for this sample.

### **HISTORICAL DIAGNOSIS**

#### 22 Sep 2022 Diag: Wes Davis

NORMAL



Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample.All component wear rates are normal. There is no indication of any contamination in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.





## **OIL ANALYSIS REPORT**

Sample Rating Trend

DIRT

#### 

Gearbox Fluid

PETRO CANADA ENDURATEX EP 220 (--- GAL)

## DIAGNOSIS

#### A Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

Elemental level of silicon (Si) above normal.

### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

JAL)			Sep2022	Aug2023		
SAMPLE INFORM	<b>IATION</b>	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0101520	PCA0080315	
Sample Date		Client Info		23 Aug 2023	22 Sep 2022	
Machine Age	hrs	Client Info		0	0	
Oil Age	hrs	Client Info		0	0	
Oil Changed		Client Info		N/A	Not Changd	
Sample Status				ABNORMAL	NORMAL	
WEAR METALS	6	method	limit/base	current	history1	history2
PQ		ASTM D8184		20	5	
Iron	ppm	ASTM D5185m	>200	22	10	
Chromium	ppm	ASTM D5185m	>15	0	0	
Nickel	ppm	ASTM D5185m	>15	<1	0	
Titanium	ppm	ASTM D5185m		0	0	
Silver	ppm	ASTM D5185m		0	0	
Aluminum	ppm		>25	0	<1	
Lead	ppm	ASTM D5185m	>100	<1	0	
Copper	ppm	ASTM D5185m	>200	4	4	
Tin	ppm	ASTM D5185m	>25	4	4	
Vanadium		ASTM D5185m	20	0	0	
Cadmium	ppm	ASTM D5185m		0	0	
	ppm			-		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	60	3	0	
Barium	ppm	ASTM D5185m	0	36	36	
Molybdenum	ppm	ASTM D5185m	0	0	0	
Manganese	ppm	ASTM D5185m	0	<1	<1	
Magnesium	ppm	ASTM D5185m	0	3	<1	
Calcium	ppm	ASTM D5185m	0	62	8	
Phosphorus	ppm	ASTM D5185m	270	275	190	
Zinc	ppm	ASTM D5185m	0	31	11	
Sulfur	ppm	ASTM D5185m	11200	17539	14477	
CONTAMINAN	rs 💦	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	<mark>/</mark> 48	15	
Sodium	ppm	ASTM D5185m		3	<1	
Potassium	ppm	ASTM D5185m	>20	<1	0	
FLUID DEGRAD	ATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.40	0.41	0.38	
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
Precipitate	scalar	*Visual	NONE	NONE	NONE	
Silt	scalar	*Visual	NONE	NONE	NONE	
Debris	scalar	*Visual	NONE	NONE	NONE	
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Appearance	scalar	*Visual	NORML	NORML	NORML	
Odor	scalar	*Visual	NORML	NORML	NORML	
		*) // 1	0.0	NEO	NEC	
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG	



# **OIL ANALYSIS REPORT**

