

PROBLEM SUMMARY

Sample Rating Trend DIRT


Wachine Id VOLVO VNL 26359 (S/N 4VHMC9EG8EH173850)

Component

Transmission

NOT GIVEN (--- QTS)

COMPONENT CONDITION SUMMARY



RECOMMENDATION

No corrective action is recommended at this time. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS Sample Status **ABNORMAL** Silicon ppm ASTM D5185m >50 **A** 83

Customer Id: PERLEWNC Sample No.: PCA0103997 Lab Number: 05956750 Test Package: FLEET To manage this report scan the QR code To discuss the diagnosis or test data: Don Baldridge +1 don.b505@comcast.net To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED ACTIONS

There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

Sample Rating Trend

DIRT



history2

Machine Id

VOLVO VNL 26359 (S/N 4VHMC9EG8EH173850)

Component

Transmission

NOT GIVEN (--- QTS)

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

Elemental level of silicon (Si) above normal.

Fluid Condition


The condition of the oil is acceptable for the time in service.

EG8EH173850)					
Lace 11170030)					
					-
		Sep	2023		
SAMPLE INFORMATION	method	limit/base	current	h	ist
ample Number	Client Info		PCA0103997		
amenta Data	Oli and Infa		45.0 0000		

Sample Number		Client Info		PCA0103997		
Sample Date		Client Info		15 Sep 2023		
Machine Age	mls	Client Info		449669		
Oil Age	mls	Client Info		0		
Oil Changed		Client Info		Not Changd		
Sample Status				ABNORMAL		
WEAR METALS	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	68		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		5		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>50	3		
Lead	ppm	ASTM D5185m	>50	1		
Copper	ppm	ASTM D5185m	>200	20		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		1		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		2		
Manganese	ppm	ASTM D5185m		13		
Magnesium	ppm	ASTM D5185m		3		
Calcium	ppm	ASTM D5185m		770		
Phosphorus	ppm	ASTM D5185m		613		
Zinc	ppm	ASTM D5185m		26		
Sulfur	ppm	ASTM D5185m		5144		
CONTAMINAN	TS	method	limit/base	current	history1	history2
Silicon	ppm		>50	<u> </u>		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	2		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPE	RTIES	method	limit/base	current	history1	history2



OIL ANALYSIS REPORT





Certificate L2367

Laboratory Sample No. Lab Number

Unique Number : 10657963

: PCA0103997 : 05956750

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received Diagnosed

: 20 Sep 2023 : 22 Sep 2023 Diagnostician : Don Baldridge

Test Package: FLEET (Additional Tests: FT-IR, KV100, TBN) To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

PERDUE FARMS - Lewiston 210 GRIFFINS QUARTER RD LEWISTON, NC

US 27849 Contact: NELSON WALLACE

nelson.wallace2@perdue.com

T: F:

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)