

OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Machine Id 427158 Component

Transmission (Auto)

NOT GIVEN (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.


Fluid Condition

The condition of the fluid is acceptable for the time in service.

WEAR METALS method Imitibase current history1 history2 Iron ppm ASTM D5185m >160 69 Chromium ppm ASTM D5185m >5 0 Nickel ppm ASTM D5185m >5 0 Silver ppm ASTM D5185m >5 0 ALuminum ppm ASTM D5185m >50 17 ALuminum ppm ASTM D5185m >50 6 Lead ppm ASTM D5185m >50 6 Copper ppm ASTM D5185m >10 1 Vanadium ppm ASTM D5185m >1 1 Cadmium ppm ASTM D5185m 0 Boron ppm ASTM D5185m 0 -							•		
Client Info GFL0094122 Client Info GRL0094122 Client Info Changed Client Info Client Info Changed Client Info Client Inf				Sep.2023					
Client Info GFL0094122 Client Info GRL0094122 Client Info Changed Client Info Client Info Changed Client Info Client Inf	SAMPLE INFOR	RMATION	method	limit/base	current	history1	history2		
Client Info 26 Sep 2023					GFI 0094122				
Machine Age mls Client Info 319039 Dil Age mls Client Info 319039 Dil Changed Client Info Changed Sample Status NORMAL WEAR METALS method Imit/base current history1 history2 Iron ppm ASTM 05185m >5 0 Chromium ppm ASTM 05185m >50 17 Lead ppm ASTM 05185m >225 28 Chromium ppm ASTM 05185m >10 1 Cadmium ppm ASTM 05185m 0 ADDITIVES method limit/base current history1 history2 ASTM 05185m Q ADDITIVES method limit/base current history1 history2 ASTM 05185m Q Chromium ppm ASTM 05185m Q ASTM 05185m Q Chromium ppm ASTM 05185m Q	•		00		G.: _000				
Dil Age	•	mls			•				
Client Info Changed Client Info NORMAL Changed Changed									
WEAR METALS	-	11110							
Chromium	Sample Status								
Chromium	WEAR METAL	_S	method	limit/base	current	history1	history2		
Description			ASTM D5185m	>160	69				
Nickel									
Description					-				
ASTM D5185m STM D5185m ST									
Alluminum				> 5	_				
Lead			710 1111 20 100111						
Copper	-								
Tin			710 1111 20 100111						
Vanadium ppm ASTM D5185m <1 Cadmium ppm ASTM D5185m 0 ADDITIVES method limit/base current history1 history2 Boron ppm ASTM D5185m 0 Barium ppm ASTM D5185m 0 Molybdenum ppm ASTM D5185m <1 Magnesium ppm ASTM D5185m 2 Magnesium ppm ASTM D5185m 297 Phosphorus ppm ASTM D5185m 297 Zinc ppm ASTM D5185m 35 Zinc ppm ASTM D5185m 736 CONTAMINANTS method limit/base current history1 history2 Silicon ppm ASTM D5185m >20 8									
ADDITIVES				>10					
ADDITIVES									
Soron ppm ASTM D5185m 34		ррпп		limit/bass					
Barium				IIIIIVbase		,	,		
Molybdenum									
Manganese ppm ASTM D5185m <1 Magnesium ppm ASTM D5185m 2 Calcium ppm ASTM D5185m 170 Phosphorus ppm ASTM D5185m 297 Zinc ppm ASTM D5185m 35 Sulfur ppm ASTM D5185m 736 Sulfur ppm ASTM D5185m >20 8 Solicon ppm ASTM D5185m >20 8 Solium ppm ASTM D5185m >20 8 Potassium ppm ASTM D5185m >20 8 Potassium ppm ASTM D5185m >20 2 Potassium ppm ASTM D5185m >20 2 VISUAL <t< td=""><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td></t<>					_				
Magnesium ppm ASTM D5185m 2 Calcium ppm ASTM D5185m 170 Phosphorus ppm ASTM D5185m 297 Zinc ppm ASTM D5185m 35 Sulfur ppm ASTM D5185m 736 CONTAMINANTS method limit/base current history1 history2 Golium ppm ASTM D5185m >20 8 Sodium ppm ASTM D5185m >20 2 Potassium ppm ASTM D5185m >20 2 Potassium ppm ASTM D5185m >20 2 VISUAL method limit/base current history1 history2 White Metal scalar *Visual NONE NONE Yellow Metal	•								
Calcium ppm ASTM D5185m 170 Phosphorus ppm ASTM D5185m 297 Zinc ppm ASTM D5185m 35 Sulfur ppm ASTM D5185m 736 CONTAMINANTS method limit/base current history1 history2 Silicon ppm ASTM D5185m >20 8 Potassium ppm ASTM D5185m >20 2 Potassium ppm ASTM D5185m >20 2 VISUAL method limit/base current history1 history2 White Metal scalar *Visual NONE NONE Vellow Metal scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Debris scal	•								
Phosphorus ppm ASTM D5185m 297 Zinc ppm ASTM D5185m 35 Sulfur ppm ASTM D5185m 736 CONTAMINANTS method limit/base current history1 history2 Silicon ppm ASTM D5185m >20 8 Potassium ppm ASTM D5185m >20 2 Potassium ppm ASTM D5185m >20 2 VISUAL method limit/base current history1 history2 White Metal scalar *Visual NONE Yellow Metal scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Poteris scalar *Visual NONE NONE Papearance	<u> </u>								
Sulfur					-				
CONTAMINANTS method limit/base current history1 history2 Silicon ppm ASTM D5185m >20 8 Sodium ppm ASTM D5185m 1 Potassium ppm ASTM D5185m >20 2 Potassium ppm ASTM D5185m >20 2 VISUAL method limit/base current history1 history2 White Metal scalar *Visual NONE NONE Yellow Metal scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Silt scalar *Visual NONE NONE Debris scalar *Visual NONE NONE Appearance scalar *Visual NORML<	•				_				
CONTAMINANTS method limit/base current history1 history2 Silicon ppm ASTM D5185m >20 8 Sodium ppm ASTM D5185m 1 Potassium ppm ASTM D5185m >20 2 VISUAL method limit/base current history1 history2 White Metal scalar *Visual NONE NONE Yellow Metal scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Silt scalar *Visual NONE NONE Debris scalar *Visual NONE Sand/Dirt scalar *Visual NORML NORML Appearance scalar *Visual									
Solition									
Potassium						history1	history2		
Potassium ppm ASTM D5185m >20 2 VISUAL method limit/base current history1 history2 White Metal scalar *Visual NONE NONE Yellow Metal scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Silt scalar *Visual NONE NONE Debris scalar *Visual NONE NONE Band/Dirt scalar *Visual NONE NONE Appearance scalar *Visual NORML NORML Odor scalar *Visual NORML NORML Emulsified Water scalar *Visual NOR NEG Free Water scalar *Visual </td <td></td> <td></td> <td></td> <td>>20</td> <td>-</td> <td></td> <td></td>				>20	-				
VISUAL method limit/base current history1 history2 White Metal scalar *Visual NONE NONE Yellow Metal scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Silt scalar *Visual NONE NONE Debris scalar *Visual NONE NONE Sand/Dirt scalar *Visual NONE NONE Appearance scalar *Visual NORML NORML Dodor scalar *Visual NORML NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG					-				
White Metal scalar *Visual NONE NONE Yellow Metal scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Silt scalar *Visual NONE NONE Debris scalar *Visual NONE NONE Sand/Dirt scalar *Visual NORM NORML Appearance scalar *Visual NORML NORML Ddor scalar *Visual NORML NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG		ppm			2				
Yellow Metal scalar *Visual NONE NONE Precipitate scalar *Visual NONE NONE Silt scalar *Visual NONE NONE Debris scalar *Visual NONE NONE Sand/Dirt scalar *Visual NORML NORML Appearance scalar *Visual NORML NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG						history1	history2		
Precipitate scalar *Visual NONE NONE Silt scalar *Visual NONE NONE Debris scalar *Visual NONE NONE Sand/Dirt scalar *Visual NONE NONE Appearance scalar *Visual NORML NORML Dodor scalar *Visual NORML NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG									
Silt scalar *Visual NONE NONE Debris scalar *Visual NONE NONE Sand/Dirt scalar *Visual NONE NONE Appearance scalar *Visual NORML NORML Odor scalar *Visual NORML NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG									
Debris scalar *Visual NONE NONE Sand/Dirt scalar *Visual NONE NONE Appearance scalar *Visual NORML NORML Odor scalar *Visual NORML NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG									
Sand/Dirt scalar *Visual NONE NONE Appearance scalar *Visual NORML NORML Odor scalar *Visual NORML NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG									
Appearance scalar *Visual NORML NORML Odor scalar *Visual NORML NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG									
Odor scalar *Visual NORML Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG					_				
Emulsified Water scalar *Visual >0.1 NEG Free Water scalar *Visual NEG	• •				_				
Free Water scalar *Visual NEG									
				>0.1					
FLUID PROPERTIES method limit/base current history1 history2	Free Water	scalar	*Visual		NEG				
	FLUID PROPE	ERTIES	method	limit/base	current	history1	history2		




OIL ANALYSIS REPORT




SAMPLE IMAGES	S method	limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image


GRAPHS



Non-ferrous Metals



Viscosity @ 40°C





Certificate L2367

Laboratory Sample No. Lab Number Unique Number : 10674711 Test Package : FLEET

: GFL0094122 : 05968160

To discuss this sample report, contact Customer Service at 1-800-237-1369.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 03 Oct 2023 Diagnosed : 05 Oct 2023 Diagnostician : Jonathan Hester

GFL Environmental - 983 - Sugar Land Hauling 16011 West Belfort Street

Sugar Land, TX US 77498

Contact: TECHNICIAN ACCOUNT

wcgfldemo@gmail.com T:

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: