

PROBLEM SUMMARY

1

Sample Rating Trend

VIS DEBRIS



FLEET
Machine Id
26514

1 Differential

PETRO CANADA TRAXON E SYNTHETIC 75W-90 (--- GAL)

COMPONENT CONDITION SUMMARY

No relevant graphs to display

RECOMMENDATION

The oil change at the time of sampling has been noted. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS Sample Status ABNORMAL --Debris scalar *Visual NONE MODER -------

Customer Id: PERACCPCA Sample No.: PCA0105986 Lab Number: 06003248 Test Package: FLEET

To manage this report scan the QR code

To discuss the diagnosis or test data:

Don Baldridge +1 don.b505@comcast.net


To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com


RECOMMENDED ACTIONS

There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS







Sample Rating Trend





Area **FLEET** 26514 Component

1 Differential

PETRO CANADA TRAXON E SYNTHETIC 7

DIAGNOSIS

Recommendation

The oil change at the time of sampling has been noted. Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

Moderate concentration of visible dirt/debris present in the oil.

Fluid Condition

The condition of the oil is acceptable for the time in service.

5W-90 (GAL))			Nov2023		
SAMPLE INFOR	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0105986		
Sample Date		Client Info		02 Nov 2023		
Machine Age	mls	Client Info		621332		
Dil Age	mls	Client Info		621332		
Oil Changed		Client Info		Changed		
Sample Status				ABNORMAL		
WEAR METAL	_S	method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>500	270		
Chromium	ppm	ASTM D5185m	>10	2		
lickel	ppm	ASTM D5185m	>10	3		
itanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
lluminum	ppm	ASTM D5185m	>25	3		
ead	ppm	ASTM D5185m	>25	26		
Copper	ppm	ASTM D5185m	>100	83		
in	ppm	ASTM D5185m	>100	9		
anadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	229	184		
Barium	ppm	ASTM D5185m	<1	0		
Molybdenum	ppm	ASTM D5185m	~ 1	<1		
Manganese	ppm	ASTM D5185m		7		
/lagnesium	ppm	ASTM D5185m	<1	0		
Calcium	ppm	ASTM D5185m		16		
Phosphorus	ppm	ASTM D5185m	1355	1334		
inc	ppm	ASTM D5185m	1000	60		
Sulfur	ppm	ASTM D5105m	22698	22428		
CONTAMINAN		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	57		
Sodium	ppm	ASTM D5185m	710	7		
Potassium	ppm	ASTM D5185m	>20	2		
VISUAL		method	limit/base	current	history1	history2
Vhite Metal	scalar	*Visual	NONE	NONE		
ellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
)ebris	scalar	*Visual	NONE	▲ MODER		
Sand/Dirt	scalar	*Visual	NONE	NONE		
appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
mulsified Water	scalar		>.2	NEG		
ree Water		*Visual	2.6			
	scalar	*Visual		NEG		
FLUID PROPE	ERTIES	method	limit/base	current	history1	history2
/: @ 4000	-01	A OTA DATE	100.0	00.5		

Visc @ 40°C


cSt

ASTM D445 100.8


88.5




OIL ANALYSIS REPORT








Non-ferrous Metals











Certificate L2367

Laboratory Sample No. Lab Number Unique Number : 10737010 Test Package : FLEET

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : PCA0105986 : 06003248

To discuss this sample report, contact Customer Service at 1-800-237-1369.

Received Diagnosed Diagnostician : Don Baldridge

: 09 Nov 2023 : 13 Nov 2023 **PERDUE FARMS - ACCOMAC** 22520 LANKFORD HWY

ACCOMAC, VA US 23301

Contact: RANDY PARKER

RANDY.PARKER@PERDUE.COM

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: (757)787-5208

history2

no image

no image