



PROBLEM SUMMARY



VOLVO 7988 (S/N EN173847) Component

Transmission Fluic NOT GIVEN (--- QTS)

COMPONENT CONDITION SUMMARY



RECOMMENDATION	PROBLEMATIC TEST RESULTS								
Resample at the next service interval to monitor.	Sample Status				ABNORMAL				
	Silicon	ppm	ASTM D5185m	>50	100				

Customer Id: PERLEWNC Sample No.: PCA0108039 Lab Number: 06007997 Test Package: FLEET



To manage this report scan the QR code

To discuss the diagnosis or test data: Don Baldridge +1 don.b505@comcast.net

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

Sample Rating Trend

DIRT

Machine Id VOLVO 7988 (S/N EN173847) Component

Transmission Fluid NOT GIVEN (--- QTS)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

Elemental level of silicon (Si) above normal indicating ingress of seal material.

Fluid Condition


The condition of the fluid is acceptable for the time in service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0108039		
Sample Date		Client Info		10 Nov 2023		
Machine Age	mls	Client Info		512139		
Oil Age	mls	Client Info		512139		
Oil Changed		Client Info		Not Changd		
Sample Status				ABNORMAL		
CONTAMINATIO	ON	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS	6	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	83		
Chromium	ppm	ASTM D5185m	>10	1		
Nickel	ppm	ASTM D5185m		6		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		<1		
Aluminum	ppm	ASTM D5185m	>50	3		
Lead	ppm	ASTM D5185m	>50	2		
Copper	ppm	ASTM D5185m	>200	29		
	ppm	ASTM D5185m	>10	0		
	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		3		
Manganese	ppm	ASTM D5185m		21		
Magnesium	ppm	ASTM D5185m		10		
Calcium	ppm	ASTM D5185m		645		
Phosphorus	ppm	ASTM D5185m		552		
Zinc	ppm	ASTM D5185m		43		
	ppm	ASTM D5185m		3416		
CONTAMINANT	ſS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	100		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	3		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
	Scalai	Todal				
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Precipitate Silt	scalar scalar	*Visual *Visual	NONE NONE	NONE NONE		
Precipitate Silt Debris	scalar scalar scalar	*Visual *Visual *Visual	NONE NONE	NONE NONE NONE		
Precipitate Silt Debris Sand/Dirt	scalar scalar scalar scalar	*Visual *Visual *Visual *Visual	NONE NONE NONE NONE	NONE NONE NONE NONE		
Precipitate Silt Debris Sand/Dirt Appearance	scalar scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE	NONE NONE NONE NONE NONE		
Precipitate Silt Debris Sand/Dirt Appearance Odor	scalar scalar scalar scalar scalar scalar	*Visual *Visual *Visual *Visual *Visual *Visual	NONE NONE NONE NONE NORE	NONE NONE NONE NONE NORE		

Contact/Location: NELSON WALLACE - PERLEWNC



OIL ANALYSIS REPORT



Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

LEWISTON, NC

US 27849

T:

F:

history2

history2

no image

no image