

## **OIL ANALYSIS REPORT**

Sample Rating Trend







1926697 Component 2 Differential Fluid GEAR OIL SAE 75W90 (--- GAL)

#### DIAGNOSIS

Area FLEET

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

### Fluid Condition

The condition of the oil is acceptable for the time in service.

SAMPLE INFOF	RMATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0108134		
Sample Date		Client Info		19 Nov 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINA		method	limit/base	current	history1	history2
Water		WC Method		NEG		
WEAR METAL	0	method	limit/base	current	history1	history2
		ASTM D5185m	>500	255		
Iron	ppm			255		
Chromium	ppm	ASTM D5185m	>10	_		
Nickel	ppm	ASTM D5185m	>10	11		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	0.5	0		
Aluminum	ppm	ASTM D5185m	>25	2		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>100	3		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	400	296		
Barium	ppm	ASTM D5185m	200	<1		
Molybdenum	ppm	ASTM D5185m	12	0		
Manganese	ppm	ASTM D5185m		10		
Magnesium	ppm	ASTM D5185m	12	0		
Calcium	ppm	ASTM D5185m	150	2		
Phosphorus	ppm	ASTM D5185m	1650	1472		
Zinc	ppm	ASTM D5185m	125	3		
Sulfur	ppm	ASTM D5185m	22500	25132		
CONTAMINA	NTS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	36		
Sodium	ppm	ASTM D5185m		7		
Potassium	ppm	ASTM D5185m	>20	1		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
<b>D 1</b> 11 1	scalar	*Visual	NONE	NONE		
Precipitate			NONE	NONE		
	scalar	*Visual	NONE	NONE		
Silt	scalar scalar	*Visual *Visual	NONE	NONE		
Silt Debris						
Precipitate Silt Debris Sand/Dirt Appearance	scalar	*Visual	NONE	NONE		
Silt Debris Sand/Dirt	scalar scalar	*Visual *Visual	NONE NONE	NONE NONE		
Silt Debris Sand/Dirt Appearance Odor	scalar scalar scalar	*Visual *Visual *Visual	NONE NONE NORML	NONE NONE NORML		
Silt Debris Sand/Dirt Appearance	scalar scalar scalar scalar	*Visual *Visual *Visual *Visual	NONE NONE NORML NORML	NONE NONE NORML NORML		



# **OIL ANALYSIS REPORT**



с	FLUID PROP	ERTIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	109	105		
	SAMPLE IMA	GES	method	limit/base	current	history1	history2
23	Color				no image	no image	no image
Novi 9/23	Bottom				no image	no image	no image
	GRAPHS						
	Ferrous Alloys	als		Nov19/23			
	Viscosity @ 40°C	2		Nov19/23			
Laboratory Sample No. Lab Number Unique Number Unique Number Test Package To discuss this sample report, * - Denotes test methods that a Statements of conformity to spec	: WearCheck USA : PCA0108134 : 06014348 : 10753492 : FLEET contact Customer Sel are outside of the ISO	Receive Diagnos Diagnos vice at 1-8 17025 sco	d : 21 N ed : 24 N tician : Don 800-237-1369 ope of accred	ry, NC 2751 Nov 2023 Nov 2023 Baldridge Maitation.		2047 Contact: I kevin.hook T:	RMS - DILLON HWY 9 WEST DILLON, SC US 29536 KEVIN HOOKS s@perdue.com (843)841-8069 (843)841-8070



Report Id: PERDILSC [WUSCAR] 06014348 (Generated: 11/24/2023 13:26:49) Rev: 1

Submitted By: KEVIN HOOKS