

PROBLEM SUMMARY

Sample Rating Trend

DIRT


A

Machine Id **849**

Component Front Differential

GEAR OIL SAE 75W90 (--- GAL)

COMPONENT CONDITION SUMMARY



RECOMMENDATION

We advise that you check all areas where dirt can enter the system. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS Sample Status ABNORMAL --- ---

 Sample Status
 ABNORMAL
 -- --

 Silicon
 ppm
 ASTM D5185m
 >75
 4 175
 -- --

Customer Id: NWWCOL Sample No.: PCA0107455 Lab Number: 06028220 Test Package: FLEET

To manage this report scan the QR code

To discuss the diagnosis or test data:

Don Baldridge +1 don.b505@comcast.net


To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED ACTIONS									
Action	Status	Date	Done By	Description					
Check Dirt Access			?	We advise that you check all areas where dirt can enter the system.					

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT



DIRT



Machine Id 849 Component

Front Differential

GEAR OIL SAE 75W90 (--- GAL)

DIAGNOSIS

Recommendation

We advise that you check all areas where dirt can enter the system. Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

Elemental level of silicon (Si) above normal indicating ingress of dirt/seal material.

Fluid Condition

The condition of the oil is acceptable for the time in service.

				Dec2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0107455		
Sample Date		Client Info		05 Dec 2023		
Machine Age	mls	Client Info		0		
Oil Age	mls	Client Info		0		
Oil Changed	11110	Client Info		N/A		
Sample Status		Olichi iilio		ABNORMAL		
·				-		
CONTAMINATION	ON	method	limit/base	current	history1	history2
Water		WC Method	>.2	NEG		
WEAR METALS	3	method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>500	183		
Chromium	ppm	ASTM D5185m	>10	2		
Nickel	ppm	ASTM D5185m	>10	5		
Гitanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	3		
_ead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>100	2		
Fin	ppm	ASTM D5185m	>10	0		
/anadium	ppm	ASTM D5185m	>10	0		
Cadmium	ppm	ASTM D5185m		0		
	рріп					
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	400	152		
Barium	ppm	ASTM D5185m	200	0		
Molybdenum	ppm	ASTM D5185m	12	0		
Manganese	ppm	ASTM D5185m		3		
Magnesium	ppm	ASTM D5185m	12	5		
Calcium	ppm	ASTM D5185m	150	23		
Phosphorus	ppm	ASTM D5185m	1650	1056		
Zinc	ppm	ASTM D5185m	125	<1		
Sulfur	ppm	ASTM D5185m	22500	24542		
CONTAMINANT	ΓS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	<u> </u>		
Sodium	ppm	ASTM D5185m		3		
Potassium	ppm	ASTM D5185m	>20	3		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>.2	NEG		
Free Water	scalar	*Visual	7.6	NEG		
12:45) Rov: 1	Juaiai	Visual		ned ned		



OIL ANALYSIS REPORT







Certificate L2367

Laboratory Sample No. Lab Number

Unique Number : 10778011 Test Package : FLEET

: PCA0107455 : 06028220

To discuss this sample report, contact Customer Service at 1-800-237-1369.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 07 Dec 2023 : 11 Dec 2023 Diagnosed Diagnostician : Don Baldridge

NW WHITE & CO - COLUMBIA DIVISION 100 INDEPENDENCE BLVD

COLUMBIA, SC US 29210

Contact: GEORGE EDWARDS

gedwards@nwwhite.com

T:

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: