


# OIL ANALYSIS REPORT

## Sample Rating Trend



**NORMAL**



Area  
**(AU768S) Supermarket - Tractor**  
Machine Id  
**FREIGHTLINER 107A8827**

Component  
**Diesel Engine**  
Fluid  
**PETRO CANADA DURON SHP 10W30 (11 GAL)**

### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

#### Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			<b>PCA0111003</b>	PCA0104119	PCA0095998
Sample Date	Client Info			<b>18 Nov 2023</b>	15 Aug 2023	11 Apr 2023
Machine Age	mls	Client Info		<b>231967</b>	218801	201739
Oil Age	mls	Client Info		<b>13166</b>	17062	32449
Oil Changed	Client Info			<b>Changed</b>	Not Changd	Changed
Sample Status				<b>NORMAL</b>	NORMAL	NORMAL

CONTAMINATION		method	limit/base	current	history1	history2
Fuel	WC Method	>5		<b>&lt;1.0</b>	<1.0	<1.0
Water	WC Method	>0.2		<b>NEG</b>	NEG	NEG
Glycol	WC Method			<b>NEG</b>	NEG	NEG

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>80	<b>24</b>	13	22
Chromium	ppm	ASTM D5185m	>5	<b>1</b>	1	2
Nickel	ppm	ASTM D5185m	>2	<b>0</b>	0	0
Titanium	ppm	ASTM D5185m		<b>0</b>	<1	0
Silver	ppm	ASTM D5185m	>3	<b>0</b>	<1	0
Aluminum	ppm	ASTM D5185m	>30	<b>8</b>	6	8
Lead	ppm	ASTM D5185m	>30	<b>0</b>	<1	0
Copper	ppm	ASTM D5185m	>150	<b>9</b>	8	9
Tin	ppm	ASTM D5185m	>5	<b>0</b>	<1	<1
Vanadium	ppm	ASTM D5185m		<b>0</b>	<1	0
Cadmium	ppm	ASTM D5185m		<b>0</b>	0	0



ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	2	<b>2</b>	4	2
Barium	ppm	ASTM D5185m	0	<b>3</b>	0	0
Molybdenum	ppm	ASTM D5185m	50	<b>67</b>	66	65
Manganese	ppm	ASTM D5185m	0	<b>0</b>	<1	<1
Magnesium	ppm	ASTM D5185m	950	<b>863</b>	969	963
Calcium	ppm	ASTM D5185m	1050	<b>1045</b>	1127	1115
Phosphorus	ppm	ASTM D5185m	995	<b>913</b>	984	999
Zinc	ppm	ASTM D5185m	1180	<b>1142</b>	1207	1258
Sulfur	ppm	ASTM D5185m	2600	<b>2865</b>	3307	2745

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	<b>8</b>	5	6
Sodium	ppm	ASTM D5185m		<b>&lt;1</b>	3	4
Potassium	ppm	ASTM D5185m	>20	<b>8</b>	5	8

INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844	>3	<b>1.1</b>	0.7	0.9
Nitration	Abs/cm	*ASTM D7624	>20	<b>8.8</b>	8.0	8.6
Sulfation	Abs/.1mm	*ASTM D7415	>30	<b>21.5</b>	19.7	20.9

FLUID DEGRADATION		method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414	>25	<b>16.7</b>	14.9	16.6
Base Number (BN)	mg KOH/g	ASTM D2896		<b>5.9</b>	7.7	6.6





# OIL ANALYSIS REPORT



VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2	
Visc @ 100°C	cSt	ASTM D445	12.00	<b>11.5</b>	11.5	11.4

## GRAPHS



Certificate L2367

**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : PCA0111003  
**Lab Number** : 06028479  
**Unique Number** : 10778270  
**Test Package** : FLEET

**Transervice - Shop 1071 - Supermarket-Dayton**  
 60 A Tower Road  
 Dayton, NJ  
 US 08810  
 Contact: Brian Quinn  
 bquinn@transervice.com

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:  
F: