

OIL ANALYSIS REPORT

Sample Rating Trend





Machine Id DT764 Component Transmission (Auto)

COGNIS EMGARD 2805 ATF (--- QTS)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.

Fluid Condition

The condition of the fluid is acceptable for the time in service.

SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0107420	PCA0098194	PCA0078435
Sample Date		Client Info		06 Dec 2023	29 May 2023	30 Jul 2022
Machine Age	mls	Client Info		176192	151007	100797
Oil Age	mls	Client Info		176192	151007	100797
Oil Changed		Client Info		Not Changd	Not Changd	N/A
Sample Status				NORMAL	NORMAL	NORMAL
CONTAMINAT	ION	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG	NEG	NEG
WEAR METAL	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>220	55	41	88
Chromium	ppm	ASTM D5185m	>2	<1	0	<1
Nickel	ppm	ASTM D5185m	>5	0	0	0
Titanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m	>5	0	0	<1
Aluminum	ppm	ASTM D5185m	>75	25	12	25
Lead	ppm	ASTM D5185m	>95	26	21	50
Copper	ppm	ASTM D5185m	>60	34	24	37
Tin	ppm	ASTM D5185m	>10	3	<1	3
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	<1
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		107	112	215
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		0	0	0
Manganese	ppm	ASTM D5185m		<1	0	1
Magnesium	ppm	ASTM D5185m		<1	1	1
Calcium	ppm	ASTM D5185m		120	122	141
Phosphorus	ppm	ASTM D5185m		288	291	451
Zinc	maa	ASTM D5185m		0	0	2
Sulfur	ppm	ASTM D5185m		1910	2476	2662
CONTAMINAN	TS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	5	2	7
Sodium	ppm	ASTM D5185m		5	4	10
Potassium	ppm	ASTM D5185m	>20	<1	0	2
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG
					Output to 15	



OIL ANALYSIS REPORT



FLUID PROPE	ERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	38.9	32.7	33.0	35.9
SAMPLE IMA	GES	method	limit/base	current	history1	history2
Color				no image	no image	no image
Bottom				no image	no image	no image







Test Package : FLEET Certificate L2367 To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

: PCA0107420

: 06029808

: WearCheck USA - 501 Madison Ave., Cary, NC 27513

: 08 Dec 2023

: 12 Dec 2023

Diagnostician : Don Baldridge

Received

Diagnosed

NW WHITE & CO - COLUMBIA DIVISION 100 INDEPENDENCE BLVD COLUMBIA, SC US 29210 Contact: GEORGE EDWARDS gedwards@nwwhite.com Т: F: