


FLEET

PROBLEM SUMMARY

Sample Rating Trend

Component Transmission Fluid NOT GIVEN (--- GAL)

COMPONENT CONDITION SUMMARY



2227075 (S/N 4v4nc9eh0rv631481)

RECOMMENDATION

No corrective action is recommended at this time. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS								
Sample Status				ABNORMAL				
Silicon	ppm	ASTM D5185m	>50	<u> </u>				

Customer Id: PERDILSC Sample No.: PCA0112343 Lab Number: 06032548 Test Package: FLEET

To manage this report scan the QR code

To discuss the diagnosis or test data: Don Baldridge +1 don.b505@comcast.net

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

Sample Rating Trend

DIRT

FLEET Machine Id 2227075 (S/N 4v4nc9eh0rv631481) Component

Transmission Fluid NOT GIVEN (--- GAL)

DIAGNOSIS

A Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

Elemental level of silicon (Si) above normal indicating ingress of dirt/seal material.


Fluid Condition

The condition of the fluid is acceptable for the time in service.


SAMPLE INFORM	JATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0112343		
Sample Date		Client Info		03 Dec 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
CONTAMINATI		method	limit/base	current	history1	history2
Water		WC Method		NEG		
WEAR METALS	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	57		
Chromium	ppm	ASTM D5185m		1		
Nickel	ppm	ASTM D5185m	7.10	<1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>50	<1		
Lead		ASTM D5185m	>50	<1		
	ppm	ASTM D5185m		43		
Copper Tin	ppm			-		
	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		<1		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		37		
Magnesium	ppm	ASTM D5185m		3		
		LOTH DEVOE		817		
Calcium	ppm	ASTM D5185m		017		
	ppm ppm	ASTM D5185m ASTM D5185m		690		
Phosphorus				-		
Calcium Phosphorus Zinc Sulfur	ppm	ASTM D5185m		690		
Phosphorus Zinc	ppm ppm ppm	ASTM D5185m ASTM D5185m	limit/base	690 2 4554		
Phosphorus Zinc Sulfur CONTAMINAN	ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m		690 2 4554		
Phosphorus Zinc Sulfur CONTAMINAN [®] Silicon	ppm ppm ppm TS ppm	ASTM D5185m ASTM D5185m ASTM D5185m method	>50	690 2 4554 current		
Phosphorus Zinc Sulfur	ppm ppm ppm TS ppm	ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D5185m	>50	690 2 4554 <u>current</u> ▲ 54		
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium	ppm ppm ppm TS ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	>50	690 2 4554 <u>current</u> ▲ 54 2		
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL	ppm ppm ppm TS ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m Method ASTM D5185m ASTM D5185m	>50 >20	690 2 4554 <u>current</u> ▲ 54 2 <1	 history1 	 history2
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL White Metal	ppm ppm ppm TS ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	>50 >20 limit/base	690 2 4554 current ▲ 54 2 <1 current	 history1 history1	 history2 history2
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL White Metal Yellow Metal	ppm ppm ppm TS ppm ppm ppm scalar	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *Visual	>50 >20 limit/base NONE	690 2 4554 ▲ 54 2 <1 current Current NONE	 history1 history1 	 history2 history2
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate	ppm ppm ppm TS ppm ppm ppm ppm scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *Visual	>50 >20 limit/base NONE NONE	690 2 4554 ▲ 54 2 <1 current NONE NONE	 history1 history1 history1	 history2 history2 history2
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate Silt	ppm ppm ppm TS ppm ppm ppm ppm scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *Visual *Visual *Visual	>50 >20 limit/base NONE NONE NONE	690 2 4554 <u>current</u> ▲ 54 2 <1 <u>current</u> NONE NONE NONE NONE	 history1 history1 history1	 history2 history2 history2
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate Silt Debris	ppm ppm TS ppm ppm ppm ppm scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *Visual *Visual *Visual *Visual	>50 >20 limit/base NONE NONE NONE NONE	690 2 4554 current ▲ 54 2 <1 current NONE NONE NONE NONE NONE	 history1 history1 	 history2 history2 history2
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt	ppm ppm pm TS ppm ppm ppm ppm scalar scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *Visual *Visual *Visual *Visual *Visual *Visual	>50 >20 limit/base NONE NONE NONE NONE NONE	690 2 4554 current ▲ 54 2 <1 current NONE NONE NONE NONE NONE NONE	 history1 history1 history1 	 history2 history2
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt Appearance	ppm ppm ppm TS ppm ppm ppm scalar scalar scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *Visual *Visual *Visual *Visual *Visual *Visual *Visual	>50 Janit/base NONE NONE NONE NONE NONE NONE NONE NON	690 2 4554 current 54 2 <1 current NONE NONE NONE NONE NONE NONE NONE NONE	 history1 history1 	 history2 history2 history2
Phosphorus Zinc Sulfur CONTAMINAN Solicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt Appearance Odor	ppm ppm ppm ppm ppm ppm ppm scalar scalar scalar scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual	>50 220 Iimit/base NONE NONE NONE NONE NONE NONE NONE NONE NONE	690 2 4554 Current ▲ 54 2 <1 Current NONE NONE NONE NONE NONE NONE NONE NONE NONE NONE	 history1 history1 	 history2 history2
Phosphorus Zinc Sulfur CONTAMINAN Silicon Sodium Potassium VISUAL White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt Appearance	ppm ppm ppm TS ppm ppm ppm scalar scalar scalar scalar scalar scalar	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m *Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual	>50 Janit/base NONE NONE NONE NONE NONE NONE NONE NON	690 2 4554 current 54 2 <1 current NONE NONE NONE NONE NONE NONE NONE NONE NONE NONE	 history1 history1 -	 history2 history2 -



OIL ANALYSIS REPORT



FLUID PROF	PERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445		100		
SAMPLE IM	AGES	method	limit/base	current	history1	history2
Color				no image	no image	no image
Bottom				no image	no image	no image
GRAPHS Ferrous Alloys						
0 - nickel						
0-						
0-						
0-						
D -						
Dec3/23			Dec3/23			
Non-ferrous Me	etals					
0 - copper						
5						
0 -						
)						
5						
5-						
Dec3/23			Dec3/23			
			Dec			
Viscosity @ 40°	,C					
2			_			
3 -						
1						
2 -						
3 -						
4 - Abnormal						
Dec3/23			Dec3/23			
e			De			
WearCheck USA PCA0112343 06032548 10782239	Recieve Diagnos	ed : 12 [sed : 15 [Dec 2023 Dec 2023	3		RMS - DILLON HWY 9 WEST DILLON, SC
10782339 FLEET	Diagnos		Baldridge		Contact:	US 29536 KEVIN HOOKS



bpm

cSt (40°C)

Laboratory Sample No. Lab Number **Unique Number**

> kevin.hooks@perdue.com T: (843)841-8069 F: (843)841-8070

Page 4 of 4