

# OIL ANALYSIS REPORT

Sample Rating Trend

**NORMAL**



Area  
**G.LOPES CONSTRUCTION INC./OFF-ROAD**  
Machine Id  
**E-47**  
Component  
**Hydraulic System**  
Fluid  
**PETRO CANADA DURATRAN (--- GAL)**



## DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil.

### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

## SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	<b>PCA0110115</b>	---	---
Sample Date	Client Info	<b>26 Dec 2023</b>	---	---
Machine Age	hrs Client Info	<b>4202</b>	---	---
Oil Age	hrs Client Info	<b>0</b>	---	---
Oil Changed	Client Info	<b>N/A</b>	---	---
Sample Status		<b>NORMAL</b>	---	---

## CONTAMINATION

method	limit/base	current	history1	history2
Water	WC Method >0.1	<b>NEG</b>	---	---

## WEAR METALS

method	limit/base	current	history1	history2
Iron	ppm ASTM D5185m >20	<b>13</b>	---	---
Chromium	ppm ASTM D5185m >10	<b>6</b>	---	---
Nickel	ppm ASTM D5185m >10	<b>0</b>	---	---
Titanium	ppm ASTM D5185m	<b>0</b>	---	---
Silver	ppm ASTM D5185m	<b>0</b>	---	---
Aluminum	ppm ASTM D5185m >10	<b>&lt;1</b>	---	---
Lead	ppm ASTM D5185m >10	<b>0</b>	---	---
Copper	ppm ASTM D5185m >75	<b>7</b>	---	---
Tin	ppm ASTM D5185m >10	<b>0</b>	---	---
Vanadium	ppm ASTM D5185m	<b>0</b>	---	---
Cadmium	ppm ASTM D5185m	<b>0</b>	---	---

## ADDITIVES

method	limit/base	current	history1	history2
Boron	ppm ASTM D5185m 110	<b>0</b>	---	---
Barium	ppm ASTM D5185m 0.0	<b>0</b>	---	---
Molybdenum	ppm ASTM D5185m 0.0	<b>1</b>	---	---
Manganese	ppm ASTM D5185m 1	<b>0</b>	---	---
Magnesium	ppm ASTM D5185m 13	<b>8</b>	---	---
Calcium	ppm ASTM D5185m 3610	<b>213</b>	---	---
Phosphorus	ppm ASTM D5185m 1192	<b>638</b>	---	---
Zinc	ppm ASTM D5185m 1455	<b>827</b>	---	---
Sulfur	ppm ASTM D5185m 2641	<b>1637</b>	---	---

## CONTAMINANTS

method	limit/base	current	history1	history2
Silicon	ppm ASTM D5185m >20	<b>3</b>	---	---
Sodium	ppm ASTM D5185m	<b>1</b>	---	---
Potassium	ppm ASTM D5185m >20	<b>0</b>	---	---





## FLUID CLEANLINESS

method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647 >5000	<b>3962</b>	---	---
Particles >6µm	ASTM D7647 >1300	<b>464</b>	---	---
Particles >14µm	ASTM D7647 >160	<b>14</b>	---	---
Particles >21µm	ASTM D7647 >40	<b>4</b>	---	---
Particles >38µm	ASTM D7647 >10	<b>0</b>	---	---
Particles >71µm	ASTM D7647 >3	<b>0</b>	---	---
Oil Cleanliness	ISO 4406 (c) >19/17/14	<b>19/16/11</b>	---	---

## FLUID DEGRADATION

method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g ASTM D8045 1.6	<b>0.69</b>	---	---



# OIL ANALYSIS REPORT








VISUAL	method	limit/base	current	history1	history2	
White Metal	scalar	*Visual	NONE	NONE	---	---
Yellow Metal	scalar	*Visual	NONE	NONE	---	---
Precipitate	scalar	*Visual	NONE	NONE	---	---
Silt	scalar	*Visual	NONE	NONE	---	---
Debris	scalar	*Visual	NONE	NONE	---	---
Sand/Dirt	scalar	*Visual	NONE	NONE	---	---
Appearance	scalar	*Visual	NORML	NORML	---	---
Odor	scalar	*Visual	NORML	NORML	---	---
Emulsified Water	scalar	*Visual	>0.1	NEG	---	---
Free Water	scalar	*Visual		NEG	---	---

FLUID PROPERTIES	method	limit/base	current	history1	history2	
Visc @ 40°C	cSt	ASTM D445	55.14	<b>40.2</b>	---	---

### SAMPLE IMAGES

	method	limit/base	current	history1	history2
Color				no image	no image
Bottom				no image	no image

### GRAPHS



**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : PCA0110115 **Received** : 28 Dec 2023  
**Lab Number** : **06046877** **Diagnosed** : 29 Dec 2023  
**Unique Number** : 10807485 **Diagnostician** : Don Baldrige  
**Test Package** : MOB 2

**G LOPES CONSTRUCTION**  
 565 WINTHROP ST  
 TAUNTON, MA  
 US 02780  
 Contact: BUTCH MCGRATH  
 bmcgrath@glopes.com  
 T:  
 F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.  
 \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.  
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)