


# OIL ANALYSIS REPORT

Sample Rating Trend



**WEAR**



Machine Id  
**513411**

Component  
**Diesel Engine**

Fluid  
**PETRO CANADA DURON SHP 10W30 (--- GAL)**

## DIAGNOSIS

### ▲ Recommendation

Oil and filter change at the time of sampling has been noted. No corrective action is recommended at this time. Resample at the next service interval to monitor.

### ▲ Wear

The aluminum level is abnormal. All other component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil.

### Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

## SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		<b>PCA0114534</b>	PCA0073261	---
Sample Date	Client Info		<b>27 Dec 2023</b>	18 Apr 2022	---
Machine Age	mls	Client Info	<b>149382</b>	72339	---
Oil Age	mls	Client Info	<b>149382</b>	12987	---
Oil Changed	Client Info		<b>Changed</b>	Not Changd	---
Sample Status			<b>ABNORMAL</b>	NORMAL	---

## CONTAMINATION

	method	limit/base	current	history1	history2
Fuel	WC Method	>5	<b>&lt;1.0</b>	<1.0	---
Water	WC Method	>0.2	<b>NEG</b>	NEG	---
Glycol	WC Method		<b>NEG</b>	NEG	---

## WEAR METALS

	method	limit/base	current	history1	history2	
Iron	ppm	ASTM D5185m	>100	<b>85</b>	28	---
Chromium	ppm	ASTM D5185m	>20	<b>3</b>	1	---
Nickel	ppm	ASTM D5185m	>4	<b>2</b>	<1	---
Titanium	ppm	ASTM D5185m		<b>25</b>	<1	---
Silver	ppm	ASTM D5185m	>3	<b>0</b>	0	---
Aluminum	ppm	ASTM D5185m	>20	<b>▲ 26</b>	10	---
Lead	ppm	ASTM D5185m	>40	<b>0</b>	<1	---
Copper	ppm	ASTM D5185m	>330	<b>6</b>	3	---
Tin	ppm	ASTM D5185m	>15	<b>2</b>	<1	---
Vanadium	ppm	ASTM D5185m		<b>&lt;1</b>	0	---
Cadmium	ppm	ASTM D5185m		<b>0</b>	0	---

## ADDITIVES

	method	limit/base	current	history1	history2	
Boron	ppm	ASTM D5185m	2	<b>6</b>	5	---
Barium	ppm	ASTM D5185m	0	<b>0</b>	0	---
Molybdenum	ppm	ASTM D5185m	50	<b>47</b>	55	---
Manganese	ppm	ASTM D5185m	0	<b>1</b>	<1	---
Magnesium	ppm	ASTM D5185m	950	<b>863</b>	886	---
Calcium	ppm	ASTM D5185m	1050	<b>1494</b>	1277	---
Phosphorus	ppm	ASTM D5185m	995	<b>1206</b>	1022	---
Zinc	ppm	ASTM D5185m	1180	<b>1434</b>	1239	---
Sulfur	ppm	ASTM D5185m	2600	<b>3077</b>	2638	---

## CONTAMINANTS

	method	limit/base	current	history1	history2	
Silicon	ppm	ASTM D5185m	>25	<b>10</b>	14	---
Sodium	ppm	ASTM D5185m		<b>8</b>	1	---
Potassium	ppm	ASTM D5185m	>20	<b>21</b>	14	---

## INFRA-RED


	method	limit/base	current	history1	history2	
Soot %	%	*ASTM D7844	>3	<b>1.6</b>	0.6	---
Nitration	Abs/cm	*ASTM D7624	>20	<b>15.0</b>	10.4	---
Sulfation	Abs/.1mm	*ASTM D7415	>30	<b>35.1</b>	22.7	---

## FLUID DEGRADATION


	method	limit/base	current	history1	history2	
Oxidation	Abs/.1mm	*ASTM D7414	>25	<b>34.1</b>	17.6	---
Base Number (BN)	mg KOH/g	ASTM D2896		<b>4.4</b>	8.4	---

# OIL ANALYSIS REPORT


▲ Aluminum (ppm)



Base Number



Viscosity @ 100°C




VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	---
Yellow Metal	scalar	*Visual	NONE	NONE	---
Precipitate	scalar	*Visual	NONE	NONE	---
Silt	scalar	*Visual	NONE	NONE	---
Debris	scalar	*Visual	NONE	NONE	---
Sand/Dirt	scalar	*Visual	NONE	NONE	---
Appearance	scalar	*Visual	NORML	NORML	---
Odor	scalar	*Visual	NORML	NORML	---
Emulsified Water	scalar	*Visual	>0.2	NEG	---
Free Water	scalar	*Visual		NEG	---


FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 100°C	cSt	ASTM D445	12.00	12.6	12.4

### GRAPHS


Iron (ppm)




Lead (ppm)




▲ Aluminum (ppm)




Chromium (ppm)



Copper (ppm)




Silicon (ppm)



Viscosity @ 100°C



Base Number



Certificate L2367

**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : PCA0114534 **Recieved** : 03 Jan 2024  
**Lab Number** : 06049754 **Diagnosed** : 04 Jan 2024  
**Unique Number** : 10815703 **Diagnostician** : Don Baldrige  
**Test Package** : MOB 1 ( Additional Tests: TBN )

**MILLER TRUCK LEASING #118**  
 2196 BENNETT ROAD  
 PHILADELPHIA, PA  
 US 19116  
 Contact: ROSTY VITER  
 rviter@millertransgroup.com  
 T: (215)552-9832  
 F: (215)552-9892

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)