

OIL ANALYSIS REPORT

Sample Rating Trend ISO



Component Gearbox

R&O 150 (--- GAL)

DIAGNOSIS

Recommendation

We recommend you service the filters on this component. We recommend an early resample to monitor this condition. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample. Please specify the component make and model with your next sample.

Wear

All component wear rates are normal.

Contamination

There is a moderate amount of silt (particulates < 14 microns in size) present in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.


SAMPLE INFORMATION method limit/base current history1 history1 Sample Number Client Info PCA0114513 Sample Date Client Info 19 Dec 2023 Machine Age hrs Client Info 0 Oil Age hrs Client Info Not Changd Sample Status ABNORMAL CONTAMINATION method limit/base current history1 history1 Water WC Method >0.2 NEG WEAR METALS method limit/base current history1 history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	y2
Sample Date Client Info 19 Dec 2023 Machine Age hrs Client Info 0 Oil Age hrs Client Info Not Changd Oil Changed Client Info Not Changd Sample Status ABNORMAL CONTAMINATION method limit/base current history1 history1 Water WC Method >0.2 NEG WEAR METALS method limit/base current history1 history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	
Sample Date Client Info 19 Dec 2023 Machine Age hrs Client Info 0 Oil Age hrs Client Info Not Changd Oil Changed Client Info Not Changd Sample Status ABNORMAL CONTAMINATION method limit/base current history1 history Water WC Method >0.2 NEG WEAR METALS method limit/base current history1 history Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	
Oil Age hrs Client Info 0 Oil Changed Client Info Not Changd Sample Status ABNORMAL CONTAMINATION method limit/base current history1 history Water WC Method >0.2 NEG WEAR METALS method limit/base current history1 history Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	
Oil Changed Client Info Not Changd Sample Status ABNORMAL CONTAMINATION method limit/base current history1 history Water WC Method >0.2 NEG WEAR METALS method limit/base current history1 history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	
Sample Status ABNORMAL CONTAMINATION method limit/base current history1 history Water WC Method >0.2 NEG WEAR METALS method limit/base current history1 history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	
CONTAMINATION method limit/base current history1 history Water WC Method >0.2 NEG WEAR METALS method limit/base current history1 history Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	
Water WC Method >0.2 NEG WEAR METALS method limit/base current history1 history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	
WEAR METALS method limit/base current history1 history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m >10 0	y2
Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1	y2
Chromium ppm ASTM D5185m >10 <1	
Nickel ppm ASTM D5185m >10 0	
pp	
Titanium ppm ASTM D5185m <1	
Silver ppm ASTM D5185m 0	
Aluminum ppm ASTM D5185m >25 1	
Lead ppm ASTM D5185m >50 11	
Copper ppm ASTM D5185m >200 17	
Tin ppm ASTM D5185m >10 <1	
Vanadium ppm ASTM D5185m 0	
Cadmium ppm ASTM D5185m 0	
ADDITIVES method limit/base current history1 history	y2
Boron ppm ASTM D5185m 0	
Barium ppm ASTM D5185m 10	
Molybdenum ppm ASTM D5185m 0	
Manganese ppm ASTM D5185m 0	
Magnesium ppm ASTM D5185m 1	
Calcium ppm ASTM D5185m 4	
Phosphorus ppm ASTM D5185m 26	
Zinc ppm ASTM D5185m 8	
Sulfur ppm ASTM D5185m 3999	
CONTAMINANTS method limit/base current history1 history	y2
Silicon ppm ASTM D5185m >50 0	
Sodium ppm ASTM D5185m 0	
Potassium ppm ASTM D5185m >20 1	
FLUID CLEANLINESS method limit/base current history1 history	y2
-	
Particles >4μm ASTM D7647 >20000 ▲ 123886	
Particles >4μm ASTM D7647 >20000 ▲ 123886 Particles >6μm ASTM D7647 >5000 ▲ 25351	
Particles >4μm ASTM D7647 >20000 ▲ 123886 Particles >6μm ASTM D7647 >5000 ▲ 25351 Particles >14μm ASTM D7647 >640 184	
Particles >4μm ASTM D7647 >20000 ▲ 123886 Particles >6μm ASTM D7647 >5000 ▲ 25351 Particles >14μm ASTM D7647 >640 184 Particles >21μm ASTM D7647 >160 20	
Particles >4μm ASTM D7647 >20000 ▲ 123886 Particles >6μm ASTM D7647 >5000 ▲ 25351 Particles >14μm ASTM D7647 >640 184 Particles >21μm ASTM D7647 >160 20 Particles >38μm ASTM D7647 >40 0	
Particles >4μm ASTM D7647 >20000 ▲ 123886 Particles >6μm ASTM D7647 >5000 ▲ 25351 Particles >14μm ASTM D7647 >640 184 Particles >21μm ASTM D7647 >160 20 Particles >38μm ASTM D7647 >40 0 Particles >71μm ASTM D7647 >10 0	
Particles >4μm ASTM D7647 >20000 ▲ 123886 Particles >6μm ASTM D7647 >5000 ▲ 25351 Particles >14μm ASTM D7647 >640 184 Particles >21μm ASTM D7647 >160 20 Particles >38μm ASTM D7647 >40 0	

Acid Number (AN)

0.09



OIL ANALYSIS REPORT







Laboratory Sample No. Lab Number **Unique Number**

: 06051842

: PCA0114513

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Recieved Diagnosed : 10817791

Diagnostician Test Package : PLANT (Additional Tests: PrtCount)

: 05 Jan 2024 : 08 Jan 2024 : Wes Davis

111 NORTH STATE ROUTE 235 SAINT PARIS, OH

Contact: Service Manager

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

US 43072

T: F: