

OIL ANALYSIS REPORT

Sample Rating Trend



Machine Id 26663 Component Transmission Fluic SAE 40W (--- GAL)

DIAGNOSIS

A Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

A Wear

Moderate concentration of visible metal present. All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.


Fluid Condition

The condition of the fluid is acceptable for the time in service.

SAMPLE INFORM	/IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0118969		
Sample Date		Client Info		09 Feb 2024		
Machine Age	mls	Client Info		30000		
Oil Age	mls	Client Info		30000		
Oil Changed		Client Info		Not Changd		
Sample Status				ABNORMAL		
CONTAMINATI		method	limit/base	current	biotonut	history
Water		WC Method		NEG	history1	history2
	_					
WEAR METALS	5	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	52		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		<1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>50	6		
Lead	ppm	ASTM D5185m	>50	0		
Copper	ppm	ASTM D5185m	>200	15		
Tin	ppm	ASTM D5185m	>10	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		4		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		2		
Magnesium	ppm	ASTM D5185m		4		
Calcium	ppm	ASTM D5185m		756		
Phosphorus	ppm	ASTM D5185m		656		
Zinc	ppm	ASTM D5185m		6		
Sulfur	ppm	ASTM D5185m		5009		
CONTAMINAN	TS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	15		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE			
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water						
Free Water	scalar scalar	*Visual *Visual	>0.1	NEG NEG		



OIL ANALYSIS REPORT



FLUID PROPE	RTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	150	54.5		
SAMPLE IMAG	GES	method	limit/base	current	history1	history2
Color				no image	no image	no image
Bottom				no image	no image	no image
GRAPHS						
Ferrous Alloys	ls		Feb9/24			
Viscosity @ 40°C			Feb 9/24			
180 160 140						
다 120 - Abnormal 단 100 - 행 100 -						
80 60 40			4			
y : WearCheck USA - 50 o. : PCA0118969 her : 06106824 her : 10910321 ige : FLEET	01 Madiso Recei Teste Diagn	ved : 01 d : 04	*7, NC 27513 Mar 2024 Mar 2024 Mar 2024 - Se			INC - GARAG PERDUE WA CANDOR, N US 2722 ervice Manag

- To discuss this sample report, contact Customer Service at 1-800-237-1369.
- * Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Certificate L2367