

## **OIL ANALYSIS REPORT**

Sample Rating Trend





DIAGNOSIS

Contamination

Fluid Condition

in service.

Wear

fluid

Machine Id 913146 Component

Transmission (Auto)

PETRO CANADA DuraDrive HD Synthetic 668 (--- GAL)

## SAMPLE INFORMATION method GFL0108040 Sample Number **Client Info** Recommendation Resample at the next service interval to monitor. 14 Mar 2024 Sample Date Client Info Machine Age 3556 hrs **Client Info** All component wear rates are normal. Oil Age hrs Client Info 0 Oil Changed Client Info Not Changd Sample Status NORMAL There is no indication of any contamination in the CONTAMINATION Water WC Method >0.1 NEG The condition of the fluid is acceptable for the time WEAR METALS ASTM D5185m >220 57 Iron ppm Chromium ASTM D5185m >2 <1 ppm Nickel ppm ASTM D5185m >5 <1 Titanium ASTM D5185m <1 ppm Silver >5 n ppm ASTM D5185m Aluminum ppm ASTM D5185m >75 23 Lead ASTM D5185m >95 9 ppm Copper >60 29 ppm ASTM D5185m 5 Tin ASTM D5185m >10 ppm Vanadium 0 ppm ASTM D5185m Cadmium ppm ASTM D5185m <1 **ADDITIVES** ASTM D5185m 59 Boron ppm Barium ppm ASTM D5185m 0 Molvbdenum ppm ASTM D5185m <1 ASTM D5185m 1 Manganese ppm Magnesium ASTM D5185m 2 ppm Calcium ASTM D5185m ppm 132 Phosphorus ASTM D5185m 219 ppm Zinc ppm ASTM D5185m 3 Sulfur ASTM D5185m 1836 ppm CONTAMINANTS Silicon ppm ASTM D5185m >25 7 Sodium ASTM D5185m 8 ppm Potassium ASTM D5185m >20 6 ppm VISUAL White Metal scalar \*Visual NONE NONE Yellow Metal \*Visual NONE NONE scalar Precipitate \*Visual NONE NONE scalar Silt scalar \*Visual NONE NONE Debris \*Visual NONE NONE scalar Sand/Dirt scalar \*Visual NONE NONE \*Visual Appearance NORML NORML scalar Odor NORML NORML scalar \*Visual NEG **Emulsified Water** scalar \*Visual >0.1 scalar \*Visual NEG Free Water



## **OIL ANALYSIS REPORT**



	FLUID PROP	ERTIES me	thod limit/bas	se current	history1	history2	
	Visc @ 40°C	cSt AST	M D445 34	31.7			
	SAMPLE IMA	GES me	thod limit/bas	se current	history1	history2	
	Color			no (more)	na imaga	na imaga	
24	Color			no image	no image	no image	
Mar14/24	Bottom			no image	no image	no image	
	Dottom			no image	nomage	no image	
	GRAPHS						
	Ferrous Alloys						
	50 - iron iron iron						
	40 -						
	<u>특</u> 30-						
	20						
	10						
	0 4 7 7		4/24				
	Mar14,24		Mar14/24				
	Non-ferrous Met	als					
	25 - copper						
	sessesses tin						
	20						
	គ្មី 15 <b>-</b>						
	10 -						
	5-						
	0		4				
	Mar14/24		Mar14/24				
	∠ Viscosity @ 40°C		2				
	39 38						
	30 Abnormal 37						
	36						
	35 4 34 33 33						
	32						
	30 - Abnormal						
	29		/24+				
	Mar14,24		Mar14,/24				
	: WearCheck USA - 501 Madison Ave., Cary, NC 27513 GFL Enviro				ironmental - 836 - Ka	ansas City Hauli	
aboratory	. ••••••••••••••••••••••••••••••••••••	: GFL0108040 Received : 29 Mar 2024				7801 East Truman Roa	
nple No.	: GFL0108040				12		
mple No. b Number	: GFL0108040 : <mark>06134311</mark>	Tested	: 01 Apr 2024	Ļ	Ka	ansas City, M US 6412	
Laboratory Sample No. Lab Number Unique Number Test Package	: GFL0108040 : <mark>06134311</mark> : 10953776	Tested Diagnosed	: 01 Apr 2024 : 01 Apr 2024	Ļ	Contact:	ansas City, M	