




OIL ANALYSIS REPORT

Area
(34C290)
 Machine Id
812028
 Component
Diesel Engine
 Fluid
PETRO CANADA DURON SHP 15W40 (--- GAL)

Sample Rating Trend



GLYCOL



DIAGNOSIS

Recommendation

We advise that you check for the source of the coolant leak. Check for low coolant level. We recommend an early resample to monitor this condition.

Wear

The aluminum level is abnormal. All other component wear rates are normal.

Contamination

Sodium and/or potassium levels are high.

Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			GFL0118465	GFL0118468	GFL0095308
Sample Date	Client Info			26 Jun 2024	04 Jun 2024	08 Mar 2024
Machine Age	hrs	Client Info		0	0	5270
Oil Age	hrs	Client Info		0	0	0
Oil Changed	Client Info			Not Changed	Not Changd	Not Changed
Sample Status				ABNORMAL	ABNORMAL	NORMAL

CONTAMINATION		method	limit/base	current	history1	history2
Fuel	WC Method	>5		<1.0	<1.0	<1.0
Water	WC Method	>0.2		NEG	NEG	NEG

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>100	56	▲ 102	71
Chromium	ppm	ASTM D5185m	>20	2	7	2
Nickel	ppm	ASTM D5185m	>4	<1	2	0
Titanium	ppm	ASTM D5185m		<1	<1	<1
Silver	ppm	ASTM D5185m	>3	<1	<1	0
Aluminum	ppm	ASTM D5185m	>20	▲ 51	● 45	45
Lead	ppm	ASTM D5185m	>40	<1	<1	<1
Copper	ppm	ASTM D5185m	>330	2	15	2
Tin	ppm	ASTM D5185m	>15	<1	1	<1
Vanadium	ppm	ASTM D5185m		<1	<1	0
Cadmium	ppm	ASTM D5185m		<1	0	0

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0	2	105	0
Barium	ppm	ASTM D5185m	0	<1	3	0
Molybdenum	ppm	ASTM D5185m	60	76	104	64
Manganese	ppm	ASTM D5185m	0	1	5	<1
Magnesium	ppm	ASTM D5185m	1010	957	792	967
Calcium	ppm	ASTM D5185m	1070	1116	1323	1091
Phosphorus	ppm	ASTM D5185m	1150	1011	868	1021
Zinc	ppm	ASTM D5185m	1270	1234	1024	1272
Sulfur	ppm	ASTM D5185m	2060	2649	2775	3004

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	11	▲ 52	11
Sodium	ppm	ASTM D5185m		▲ 110	▲ 23	3
Potassium	ppm	ASTM D5185m	>20	▲ 157	▲ 116	73
Glycol	%	*ASTM D2982		NEG	NEG	NEG


INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844	>3	1.3	0.5	1.8
Nitration	Abs/cm	*ASTM D7624	>20	8.9	11.1	11.0
Sulfation	Abs/.1mm	*ASTM D7415	>30	21.0	23.7	22.5

FLUID DEGRADATION		method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414	>25	14.5	20.8	16.8
Base Number (BN)	mg KOH/g	ASTM D2896	9.8	9.3	7.1	7.9




OIL ANALYSIS REPORT


▲ Aluminum (ppm)




FT-IR (Direct Trend)




Glycol Contamination



Viscosity @ 40°C



Glycol Contamination




VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG


FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 100°C	cSt	ASTM D445	15.4	14.0	13.3

GRAPHS


Ferrous Alloys




Non-ferrous Metals



Viscosity @ 100°C



Base Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513

Sample No. : GFL0118465

Lab Number : 06226080

Unique Number : 11109573

Test Package : FLEET (Additional Tests: Glycol, KV40)

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Received : 02 Jul 2024

Tested : 05 Jul 2024

Diagnosed : 05 Jul 2024 - Jonathan Hester

GFL Environmental - 891 - Oklahoma City Hauling

1001 South Rockwell

Oklahoma City, OK

US 73128

Contact: Andy Smith

andrew.smith@gflen.com

T: (405)306-1651

F: