

# CONSTRUCTION EQUIPMENT 198608 VOLVO L 1 1 OH 63 1435 - HYDRAULIC SYSTEM



Sample No: VCP231867

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

**Job No:** 198608

VOLVO	INFORMATIO	M		
	INFORMATIO			
Sample Number		VCP231867	 	
Sample Date		08 May 2019	 	
Machine Hours		4016	 	
Oil Hours		4000	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
OIL COND	ITION			
Visc @ 40°C	cSt	<b>41.8</b>	 	
VOLVO				
CONTAMI	INATION			
Particles >4µm		9780	 	
Particles >6µm		■859	 	
Particles >14µm		<b>54</b>	 	
ISO 4406:1999 (c)		20/17/13	 	
Silicon	ppm	<b>4</b>	 	
Sodium	ppm	<b>6</b>	 	
Potassium	ppm	<b>■&lt;1</b>	 	
WEAR M	TAIC			
_	-	,		
Iron	ppm	■11	 	
Copper	ppm	<b>■</b> 5	 	
Lead	ppm	■1	 	
Tin	ppm	<b>■</b> 0	 	
Aluminum	ppm	<b></b>	 	
Chromium	ppm	<b>■</b> 2	 	
Molybdenum	ppm	<b></b>	 	
Nickel	ppm	<b>■</b> <1	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	<b></b>	 	
Vanadium	ppm	0	 	
ADDITIVI	Z			
Calcium	ppm	<b>■</b> 55	 	
Magnesium	ppm	<b>1</b>	 	
Zinc	ppm	<b>444</b>	 	
Phosphorus	ppm	■335	 	



### **Strongco Equipment**

5179 Fountain St N. Breslau, ON CA NOB 1M0 Contact: Matt Crisci mcrisci@strongco.com T: (519)744-3518 F: (519)744-3284

## Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The condition of the oil is acceptable for the time in service.

Depot:CASKITUnique No:4873251Signed:Wes DavisReport Date:21 May 2019

Contact/Location: Matt Crisci - CASKIT

ppm

ppm

**0** 

**-**<1

Barium

Boron



# **CONSTRUCTION EQUIPMENT**





#### GRAPHS

