

# **CONSTRUCTION EQUIPMENT**

Sample No: VCP349537

Oil Type: CASTROL HVI 32

**Job No:** 314854

VOLVO	INFORMATION			
	INFORMATION			
Sample Number		VCP349537	 	
Sample Date		27 May 2022	 	
Machine Hours		12410	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		ABNORMAL	 	
VOLVO				
OIL CONE	DITION			
Visc @ 40°C	cSt	■31.7	 	
V15C @ 40 C	CSC			
VOLVO				
CONTAM	INATION			
Particles >4µm	-	98076	 	
Particles >6µm		<b>10380</b>	 	
Particles >14µm		■29	 	
ISO 4406:1999 (c)		24/21/12	 	
Silicon	ppm	<b>4</b>	 	
Sodium	ppm	<b>■&lt;1</b>	 	
Potassium	ppm	<b>2</b>	 	
WEAR M	ETALC			
•	C I WL7			
Iron	ppm	■8	 	
Copper	ppm	<b>■</b> <1	 	
Lead	ppm	<b>10</b>	 	
Tin	ppm	<b>0</b>	 	
Aluminum	ppm	<b>2</b>	 	
Chromium	ppm	<b>■</b> <1	 	
Molybdenum	ppm	<b>0</b>	 	
Nickel	ppm	■0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	<b>0</b>	 	
Vanadium	ppm	0	 	
VOLVO			 	
<b>ADDITIV</b>	ES			
Calcium	ppm	<b>□</b> 90	 	
Magnesium	ppm	<b>=</b> <1	 	
Zinc	ppm	<b>432</b>	 	
Phosphorus	ppm	<b>404</b>	 	
Barium	ppm	<b>2</b>	 	
Boron	ppm	<b>2</b>	 	
DOTOTT	PPIII			



### STRONGCO EQUIPMENT-EDMONTON

25616 117 Ave NW Acheson, AB CA T7X 6C2 Contact: Jonathan Morton jmorton@strongco.com T: (780)464-1909 F: (780)464-0434

## Diagnosis

We recommend you service the filters on this component. We recommend an early resample to monitor this condition.All component wear rates are normal. Particles >6µm and oil cleanliness are abnormally high. The system cleanliness is above the acceptable limit for the target ISO 4406 cleanliness code. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

Depot:VOLVO3908Unique No:5410027Signed:Kevin MarsonReport Date:08 Jun 2022



# **CONSTRUCTION EQUIPMENT**





#### GRAPHS

