

CONSTRUCTION EQUIPMENT

SERCON 394521 VOLVO EC480E 315145 - DIESEL ENGINE



Oil Type: VOLVO ULTRA DIESEL ENGINE OIL 15W40 VDS-3

0.0

■0.8

20

3

3

Job No: 394521

Glycol

Silicon

Sodium

Potassium

Fuel

%

%

ppm

ppm

ppm

SAMPLE	E INFORMATIC)N		
Sample Number	_	VCP394011	 	
Sample Date		09 Feb 2024	 	
Machine Hours		794	 	
Oil Hours		500	 	
Oil Changed		Changed	 	
Sample Status		ABNORMAL	 	
OIL CON	DITION			
Visc @ 100°C	cSt	<u></u> ▲ 11.0	 	
Oxidation (PA)	%	80	 	
CONTAN	MINATION			
Water	%	NEG	 	
Soot %	%	■0	 	
Nitration (PA)	%	93	 	
Sulfation (PA)	%	65	 	

VOLVO	METALC			
WEAKI	METALS			
Iron	ppm	13	 	
Copper	ppm	205	 	
Lead	ppm	6	 	
Tin	ppm	2	 	
Aluminum	ppm	■3	 	
Chromium	ppm	■0	 	
Molybdenum	ppm	79	 	
Nickel	ppm	■<1	 	
Titanium	ppm	0	 	
Silver	ppm	■ 0	 	
Manganese	ppm	2	 	
Vanadium	ppm	0	 	

ADDITION							
Calcium	ppm	2126					
Magnesium	ppm	114					
Zinc	ppm	1120					
Phosphorus	ppm	■945					
Barium	ppm	0					
Boron	ppm	■21					



STRONGCO EQUIPMENT (CE)

1051 Heritage Rd.

Burlington, ON

CA L7L 4Y1

Contact: Sue Hooton
shooton@strongco.com
T: (905)331-3835
F: (905)643-6077

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor. Metal levels are typical for a new component breaking in. Fuel content negligible. There is no indication of any contamination in the oil. Viscosity of sample indicates oil is within SAE 30 range, advise investigate. The condition of the oil is acceptable for the time in service.

Depot:VOLVO0252Unique No:5724434Signed:Kevin MarsonReport Date:14 Feb 2024



CONSTRUCTION EQUIPMENT





