

CONSTRUCTION EQUIPMENT X57529 VOLVO L110H 632135 - FRONT AXLE



Sample No: VCP386010

Oil Type: TRANSAXLE OIL SAE 75W80

Job No: X57529

VOLVO	E INFORMATIO	1		
	INFURMATIUI			
Sample Number		VCP386010	VCP348984	
Sample Date		01 Feb 2023	10 Feb 2022	
Machine Hours		2899	1112	
Oil Hours		0	0	
Oil Changed		N/A	Changed	
Sample Status		NORMAL	NORMAL	
OIL CON	DITION			
/isc @ 40°C	cSt	39.7	■ 44.6	
713C @ 40 C	CSt	33. 1	<u> </u>	
VOLVO				
CONTAN	MINATION			
Silicon	ppm	1 1	1 5	
Sodium	ppm	6	1 1	
Potassium	ppm	1 2	2	
	la la			
VOLVO				
WEAR N	METALS			
ron	ppm	142	■341	
Copper	ppm	■<1	1	
Lead	ppm	0	1	
Tin	ppm	■ 0	- <1	
Aluminum	ppm	-<1	2	
Chromium	ppm	■ 3	8	
Molybdenum	ppm	<u> </u>	П8	
Vickel	ppm	<1	12	
Titanium	ppm	0	<1	
Silver	ppm	0	0	
Manganese	ppm	m 5	1 3	
/anadium	ppm	0	<1	
and didin	PPIII			
VOLVO				
ADDITI\	/ES			
Calcium	ppm	3701	4098	
Magnesium	ppm	10	1 6	
Zinc	ppm	1488	1634	
Phosphorus	ppm	■1205	1363	
Barium	ppm	■0	0	
Boron	ppm	139	120	
	1-1-11			



SCOTT EQUIPMENT COMPANY LLC - Saint Rose

PO BOX 997
SAINT ROSE, LA
US 70087
Contact: DENISE CORVERS

dcorvers@scottcompanies.com

T: (504)461-0961 F: (504)461-0970

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:SCOSAIUnique No:10323591Signed:Wes DavisReport Date:06 Feb 2023



CONSTRUCTION EQUIPMENT





