

# CONSTRUCTION EQUIPMENT VOLVO L70H L70H 623647 - HYDRAULIC SYSTEM



Sample No: VCP0007993

Oil Type: AW HYDRAULIC OIL ISO 46

Job No:

VOLVO				
SAMPLE I	NFORMATION			
Sample Number	-	VCP0007993	 	
Sample Date		10 Jul 2023	 	
Machine Hours		0	 	
Oil Hours		0	 	
Oil Changed		N/A	 	
Sample Status		ABNORMAL	 	
VOLVO				
OIL COND	ITION			
Visc @ 40°C	cSt	<b>42.9</b>	 	
Acid Number (AN)		0.37	 	
Acid Harriser (Arty)	1119 11011/9			
VOLVO	NATION			
CONTAMI	NATIUN			
Particles >4µm		<u> </u>	 	
Particles >6µm		<u> </u>	 	
Particles >14µm		■85	 	
ISO 4406:1999 (c)		21/19/14	 	
Silicon	ppm	■4	 	
Sodium	ppm	<b>2</b>	 	
Potassium	ppm	■0	 	
VOLVO				
WEAR ME	TALS			
Iron	ppm	<b>■</b> 3	 	
Copper	ppm	■3	 	
Lead	ppm	<b>2</b>	 	
Tin	ppm	<b>■</b> 0	 	
Aluminum	ppm	<b>■&lt;1</b>	 	
Chromium	ppm	<b>■&lt;1</b>	 	
Molybdenum	ppm	<b>□</b> 0	 	
Nickel	ppm	■0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	■0	 	
Vanadium	ppm	<1	 	
VOLVO				
ADDITIVE	2			
Calcium	ppm	<b>7</b> 5	 	
Magnesium	ppm	<b>2</b>	 	
Zinc	ppm	<b>419</b>	 	
Phosphorus	ppm	■347	 	
Barium	ppm	<b>0</b>	 	
Boron	ppm	<b>■</b> 0	 	



### **ALTA EQUIPMENT COMPANY**

8750 PHILIPS HWY JACKSONVILLE, FL US 32256

Contact: TECHNICIAN ACCOUNT catherine.anastasio@wearcheck.com

F: (904)737-1260

## Diagnosis

We recommend you service the filters on this component. We recommend an early resample to monitor this condition. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) AW HYDRAULIC OIL ISO 46. Please confirm.

All component wear rates are normal. There is a moderate amount of silt (particulates < 14 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

 Depot:
 VOLVO0092

 Unique No:
 10551897

 Signed:
 Wes Davis

 Report Date:
 13 Jul 2023

Submitted By: TECHNICIAN ACCOUNT



# **CONSTRUCTION EQUIPMENT**





#### GRAPHS

