CONSTRUCTION EQUIPMENT

9061 AA RECYCLE VOLVO L30GS 3220174 - HYDRAULIC SYSTEM

Sample No: VCP408881
Oil Type: VOLVO SUPER HYDRAULIC OIL 46
Job No: 9061 AA RECYCLE

MCCLUNG-LOGAN EQUIPMENT CO INC MAIN
4601 WASHINGTON BOULEVARD
BALTIMORE, MD
US 21227
Contact: MARK CIULLA
mciulla@mcclung-logan.com
T: (410)242-6500
F: (410)242-7835

SAMPLE INFORMATION

Sample Number		**VCP408881**	---	---	---
Sample Date		**06 Jun 2023**	---	---	---
Machine Hours		**3259**	---	---	---
Oil Hours		**0**	---	---	---
Oil Changed		**Changed**	---	---	---
Sample Status		**NORMAL**	---	---	---

OIL CONDITION

Visc @ 40°C	cSt	**52.2**	---	---	---
Acid Number (AN)	mg KOH/g	**1.40**	---	---	---

CONTAMINATION

Particles >4µm		**4794**	---	---	---
Particles >6µm		**1120**	---	---	---
Particles >14µm		**74**	---	---	---
ISO 4406:1999 (c)		**19/17/13**	---	---	---
Silicon	ppm	**3**	---	---	---
Sodium	ppm	**0**	---	---	---
Potassium	ppm	**2**	---	---	---

WEAR METALS

Iron	ppm	**43**	---	---	---
Copper	ppm	**124**	---	---	---
Lead	ppm	**11**	---	---	---
Tin	ppm	**<1**	---	---	---
Aluminum	ppm	**2**	---	---	---
Chromium	ppm	**<1**	---	---	---
Molybdenum	ppm	**2**	---	---	---
Nickel	ppm	**<1**	---	---	---
Titanium	ppm	**0**	---	---	---
Silver	ppm	**<1**	---	---	---
Manganese	ppm	**2**	---	---	---
Vanadium	ppm	**0**	---	---	---

ADDITIVES

Calcium	ppm	**741**	---	---	---
Magnesium	ppm	**12**	---	---	---
Zinc	ppm	**744**	---	---	---
Phosphorus	ppm	**651**	---	---	---
Barium	ppm	**<1**	---	---	---
Boron	ppm	**3**	---	---	---

Diagnosis

Resample at the next service interval to monitor.All component wear rates are normal. The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0150
Unique No: 10566736
Signed: Don Baldridge
Report Date: 26 Jul 2023

GRAPHS

Ferrous Alloys



Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number