

CONSTRUCTION EQUIPMENT VOLVO L90H L90H 625306 - HYDRAULIC SYSTEM



Sample No: VCP0007506

Oil Type: AW HYDRAULIC OIL ISO 46

Job No:

VOLVO					
SAMPLE	INFORMATION				
Sample Number	-	VCP0007506	VCP0007616		
Sample Date		11 Aug 2023	22 Jun 2023		
Machine Hours		0	0		
Oil Hours		0	0		
Oil Changed		N/A	N/A		
Sample Status		ABNORMAL	SEVERE		
OIL COND	ITION				
Visc @ 40°C	cSt	47.6	1 46.2		
Acid Number (AN)) mg KOH/g	■ 0.44	0.27		
	, , ,				
CONTAMINATION					
_	INATION	A 40.000	A 05000		
Particles >4µm		<u>A</u> 19439	85932		
Particles > 6µm		▲ 5401	34336		
Particles >14µm		▲ 360	3050		
ISO 4406:1999 (c) Silicon	10.10.100	21/20/16	24/22/19		
Sodium	ppm	□ 2	1		
Potassium	ppm	■ <1	0		
rotassium	ppm				
VOLVO					
WEAR METALS					
Iron	ppm	■0	■2		
Copper	ppm	■ 0	2		
Lead	ppm		- <1		
Tin	ppm	■0	0		
Aluminum	ppm	■ 0	■3		
Chromium	ppm	■ 0	1		
Molybdenum	ppm	0	<1		
Nickel	ppm	0	0		
Titanium Silver	ppm	0	0		
Manganese	ppm	™ 0	□ <1		
Vanadium	ppm	0	0		
Variaciditi	ppm	U	O		
ADDITIODA					
Calcium	ppm	71	5 3		
Magnesium	ppm	□ <1	<1		
Zinc	ppm	442	408		
Phosphorus	ppm	■333	322		
Barium	ppm	■ <1	0		
Boron	ppm	■0	0		



ALTA EQUIPMENT COMPANY

8750 PHILIPS HWY JACKSONVILLE, FL US 32256

Contact: TECHNICIAN ACCOUNT catherine.anastasio@wearcheck.com

F: (904)737-1260

Diagnosis

We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid. We recommend an early resample to monitor this condition. All component wear rates are normal. There is a moderate amount of particulates (2 to 100 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

 Depot:
 VOLVO0092

 Unique No:
 10605994

 Signed:
 Wes Davis

 Report Date:
 17 Aug 2023

Submitted By: TECHNICIAN ACCOUNT



CONSTRUCTION EQUIPMENT





GRAPHS

