

# **CONSTRUCTION EQUIPMENT**

1201 SENNEBOGEN 835ME 835.0.2266 - FRONT REAR FINAL

Sample No: VCP422978

**Oil Type:** GEAR OIL SAE 80W90

**Job No:** SPM581201

VOLVO					
SAMPLE	INFORMATION				
Sample Number	-	VCP422978			
Sample Date		11 Aug 2023			
Machine Hours		19533			
Oil Hours		0			
Oil Changed		Changed			
Sample Status		NORMAL			
OIL CONDITION					
Visc @ 40°C	cSt	<b>180</b>			
VOLVO					
CONTAI	MINATION				
Silicon	ppm	<b>28</b>			
Sodium	ppm	■0			
Potassium	ppm	<b>■&lt;1</b>			
WEAR N	AETAI C				
_	-		<u> </u>		
Iron	ppm	<b>138</b>			
Copper	ppm	<b>11</b>			
Lead	ppm	<b>-</b> <1			
Tin	ppm	<b>0</b>			
Aluminum	ppm	<b>2</b>			
Chromium	ppm	<b>■&lt;1</b>			
Molybdenum	ppm	3			
Nickel	ppm	<b>0</b>			
Titanium	ppm	<1			
Silver	ppm	0			
Manganese	ppm	2			
Vanadium	ppm	0			
VOLVO					
ADDITIV	/ES				
Calcium	ppm	<b>2532</b>			
Magnesium	ppm	<b>48</b>			
Zinc	ppm	■983			
Phosphorus	ppm	■852			
Barium	ppm	<b>0</b>			
Boron	ppm	<u> </u>			



### SIMS METAL MANAGEMENT

2500 S. PAULINA
CHICAGO, IL
US 60608
Contact: RYAN WISE
ryan.wise@simsmm.com
T:
F:

## Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:SIMCHIILUnique No:10616401Signed:Don BaldridgeReport Date:23 Aug 2023



# **CONSTRUCTION EQUIPMENT**





#### **GRAPHS**

