

CONSTRUCTION EQUIPMENT 9127 VOLVO A30G 742483 - HYDRAULIC SYSTEM



Sample No: VCP413634

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No: 9127

VOLVO	INFORMATION			
	INFORMATION			_
Sample Number		VCP413634	VCP323268	
Sample Date		30 Aug 2023	14 Jul 2021	
Machine Hours		4028	2221	
Oil Hours		0	0	
Oil Changed		Changed	Not Changd	
Sample Status		NORMAL	NORMAL	
VOLVO	DITION			
OIL CON	JIIIUN			
Visc @ 40°C	cSt	45.6	46.8	
Acid Number (AN	I) mg KOH/g	0.44	□ 0.401	
LUNTAN	IINATION			
	IINATION			
Particles >4µm		253	1563	
Particles >6µm		45	210	
Particles >14µm		■ 5	1 3	
ISO 4406:1999 (c)		15/13/10	18/15/11	
Silicon	ppm	■3	■3	
Sodium	ppm	2	2	
Potassium	ppm	0	0	
VOLVO	IFTALC			
WEAR M	IF I ALS			
Iron	ppm	9	6	
Copper	ppm	■ 5	5	
Lead	ppm	■ 3	4	
Tin	ppm	■ 0	- <1	
Aluminum	ppm	■ 0	 < 1	
Chromium	ppm	■ 0	- <1	
Molybdenum	ppm	0	<u> </u>	
Nickel	ppm	■0	0	
Titanium	ppm	0	0	
Silver	ppm	0	<1	
Manganese	ppm	■0	0	
Vanadium	ppm	0	0	
Variation	ppiii	•	U	
VOLVO				
ADDITIV	ES			
Calcium	ppm	81	6 4	
Magnesium	ppm	■8	2	
Zinc	ppm	434	□ 433	
Phosphorus	ppm	352	329	
Barium		1 7	0	
Danum	ppm			



RELIABLE CONTRACTING

2410 EVERGREEN RD SUITE 200
GAMBRILLS, MD
US 21054
Contact: RUSSELL HATFIELD
RHATFIELD@RELIABLECONTRACTING.COM
T: (410)987-1851
F:

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:RELMILUnique No:10635134Signed:Wes DavisReport Date:08 Sep 2023

ppm

Boron



CONSTRUCTION EQUIPMENT





GRAPHS

