

CONSTRUCTION EQUIPMENT 23909 VOLVO A40G 352850 - REAR AXLE



Sample No: VCP426034

Oil Type: VOLVO SUPER GEAR OIL 75W-80-GO102

Job No: 23909

CAMPIE	INFORMATION				
	. IINI UMMATIUN		1400054054	_	
Sample Number		VCP426034	VCP356371		
Sample Date		01 Sep 2023	11 Apr 2022		
Machine Hours		4011	1077		
Oil Hours		0	0		
Oil Changed		N/A	N/A		
Sample Status		NORMAL	NORMAL		
VOLVO					
OIL CON	DITION				
Visc @ 40°C	cSt	49.1	□ 50.3		
Visc g is c	CSC				
VOLVO					
CONTAN	MINATION				
Silicon	ppm	2	5		
Sodium	ppm	■<1	2		
Potassium	ppm	2	■ 3		
WEAR N	METALS				
Iron	ppm	77	275		
Copper	ppm	■0	_2		
Lead	ppm	0	□0		
Tin	ppm	■ 0	- <1		
Aluminum	ppm	0	< 1		
Chromium	ppm	■1	4		
Molybdenum	ppm	0	5		
Nickel	ppm	■ 0	_2		
Titanium	ppm	0	0		
Silver	ppm	0	<1		
Manganese	ppm	■ 3	12		
Vanadium	ppm	0	0		
ADDITIV	JES				
Calcium	ppm	6 3	15		
Magnesium	ppm	6	0		
Zinc	ppm	45	6		
Phosphorus	ppm	■2550	2471		
Barium	ppm	■0	0		
Boron	ppm	■253	277		



218 - ASCENDUM MACHINERY INC - N. CHARLESTON 7235 CROSS COUNTRY RD. NORTH CHARLESTON, SC US 29418 Contact: MATT MITCHAM matt.mitcham@ascendummachinery.com T:

F: (843)414-1129

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:VOLVO3387Unique No:10642059Signed:Don BaldridgeReport Date:12 Sep 2023



CONSTRUCTION EQUIPMENT





