

CONSTRUCTION EQUIPMENT VOLVO A30G 752996 - HYDRAULIC SYSTEM



Sample No: VCP412690

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

VOLVO				
SAMPLE II	NFORMATION			
Sample Number	-	VCP412690	 	
Sample Date		06 Sep 2023	 	
Machine Hours		1177	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
VOLVO				
OIL CONDI	TION			
Visc @ 40°C	cSt	43.2	 	
Acid Number (AN)		0.37	 	
	9, 9			
VOLVO	IATION			
CONTAMIN	TATION			
Particles >4µm		745	 	
Particles >6µm		160	 	
Particles > 14µm		9	 	
ISO 4406:1999 (c)		17/14/10	 	
Silicon	ppm	5	 	
Sodium	ppm	3	 	
Potassium	ppm	■1	 	
VOLVO				
WEAR ME	TALS			
Iron	ppm	□ 6	 	
Copper	ppm	■ 3	 	
Lead	ppm	■2	 	
Tin	ppm	■<1	 	
Aluminum	ppm	■0	 	
Chromium	ppm	■ <1	 	
Molybdenum	ppm	■ 0	 	
Nickel	ppm	■0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	□ < 1	 	
Vanadium	ppm	U	 	
ADDITIVE	7			
Calcium Magnesium	ppm	■ 65	 	
Zinc	ppm	■ 430	 	
Phosphorus	ppm	■430 ■339	 	
Barium	ppm	0	 	
Boron	ppm	■0	 	
DOTOTI	ppiii			



ALTA EQUIPMENT/FLAGLER EQUIPMENT LLC

9601 BOGGY CREEK RD ORLANDO, FL US 32824 Contact: BRAD BYRO bradley.byro@altg.com T:

F: (407)659-8720

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:VOLVO0096Unique No:10646033Signed:Wes DavisReport Date:15 Sep 2023



CONSTRUCTION EQUIPMENT





GRAPHS

