

CONSTRUCTION EQUIPMENT VOLVO A30G 7400 12 - HYDRAULIC SYSTEM



Sample No: VCP435409

Oil Type: CHEVRON HYDRAULIC OIL AW ISO 46

Job No:

VOLVO				
SAMPLE II	NFORMATION			
Sample Number		VCP435409	 	
Sample Date		18 Sep 2023	 	
Machine Hours		5619	 	
Oil Hours		0	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
VOLVO				
OIL CONDI	ITION			
Visc @ 40°C	cSt	46.9	 	
Acid Number (AN)		0.39	 	
	9, 9			
VOLVO	NATION			
CONTAMI	NATIUN			
Particles >4µm		1124	 	
Particles >6µm		■306	 	
Particles >14µm		■24	 	
ISO 4406:1999 (c)		17/15/12	 	
Silicon	ppm	■ <1	 	
Sodium	ppm	■0	 	
Potassium	ppm	■ <1	 	
VOLVO				
WEAR ME	TALS			
Iron	ppm	■ 0	 	
Copper	ppm	■0	 	
Lead	ppm	0	 	
Tin	ppm	■0	 	
Aluminum	ppm	0	 	
Chromium	ppm	■ 0	 	
Molybdenum	ppm	■3	 	
Nickel	ppm	■ 0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	■0	 	
Vanadium	ppm	0	 	
VOLVO				
ADDITIVE	2			
Calcium	ppm	72	 	
Magnesium	ppm	12	 	
Zinc	ppm	424	 	
Phosphorus	ppm	■318	 	
Barium	ppm	0	 	
Boron	ppm	4	 	



ROMCO INC - AUSTIN BRANCH
1150 WEST OLD SETTLERS BOULEVARD
ROUNDROCK, TX
US 78681
Contact: ED MAYES
EMAYES@ROMCO.COM
T: (737)204-9402

Diagnosis

F: (512)388-2673

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

 Depot:
 VOLVO0088

 Unique No:
 10658782

 Signed:
 Wes Davis

 Report Date:
 22 Sep 2023



CONSTRUCTION EQUIPMENT





GRAPHS

