CONSTRUCTION EQUIPMENT 54075 GAINES VOLVO L90H 624620 - DIESEL FUEL



Sample No:VCP413508Oil Type:NOT GIVENJob No:54075 GAINES

VOINTO

INFORMATIO	N			
	VCP413508			
	21 Sep 2023			
	2500			
	SEVERE			
DITION				
ppm	0			
cSt	2.31			
INATION				
%	5 7.0			
ppm	0			
	DITION ppm cSt NATION % ppm ppm ppm ppm	21 Sep 2023 2500 SEVERE DITION ppm 0 cSt 2.31 NATION % 57.0 ppm 0 ppm 0 ppm 0 ppm 0	VCP413508 21 Sep 2023 2500 SEVERE ppm 0 cSt 2.31 NATION ppm 0 ppm 0	VCP413508 21 Sep 2023 2500 SEVERE DITION ppm 0 cSt 2.31 NATION ppm 0 ppm 0



GAINES & CO

526 THREE SISTERS RD KNIGHTDALE, NC US 27545 Contact: BEAR PERONE gperone@gainesandco.com T: (919)524-4711 F: (919)944-0091

Diagnosis

We advise that you check for the source of the coolant. We advise that you follow the water drain-off procedure for this component. Recommend drain fuel if not already done and flush before refilling with fuel.All metal levels are normal indicating no corrosion in the system. Sample consists almost entirely of free coolant. The fuel is no longer serviceable due to the presence of contaminants.

 Depot:
 GAIKNI

 Unique No:
 10662771

 Signed:
 Doug Bogart

 Report Date:
 06 Oct 2023



VOLVO

GRAPHS



Pensky-Martens Flash Point (°C)

				-	empe	erature	د				
	10	-8	-6	-4	-2	0	2	4	6	8	10
0010		ļ	ļ,		ļ	ļ.	Į.	ļ	ļ,	ļ.	-
Sep21/123	÷			1			İ.			i	-
San 21/23	_		1								-
UCHE I/EU	-		1				i.			1	