

CONSTRUCTION EQUIPMENT VOLVO A45G 353131 - HYDRAULIC SYSTEM



Sample No: VCP405370

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

VOLVO				
SAMPLE I	NFORMATION			
Sample Number		VCP405370	 	
Sample Date		28 Sep 2023	 	
Machine Hours		2371	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
VOLVO				
OIL COND	ITION			
Visc @ 40°C	cSt	45.1	 	
Acid Number (AN)	mg KOH/g	■ 0.61	 	
	, ,			
CONTAMI	NATION			
_	MATION			
Particles >4µm		1457	 	
Particles >6µm		263	 	
Particles >14µm		23	 	
ISO 4406:1999 (c)		18/15/12	 	
Silicon Sodium	ppm	□ 12 □ <1	 	
Potassium	ppm	■ <1	 	
Potassium	ppm	<1	 	
VOLVO				
WEAR ME	TALS			
Iron	ppm	4	 	
Copper	ppm	■ 3	 	
Lead	ppm	■ 2	 	
Tin	ppm	■<1	 	
Aluminum	ppm	4	 	
Chromium	ppm	■<1	 	
Molybdenum	ppm		 	
Nickel	ppm	■<1	 	
Titanium	ppm	<1	 	
Silver	ppm	0	 	
Manganese Vanadium	ppm	□ 0	 	
vanadium	ppm	U	 	
VOLVO	· -			
ADDITIVE	7			
Calcium	ppm	512	 	
Magnesium	ppm	■ 6	 	
Zinc	ppm	576	 	
		m 420	 	
Phosphorus	ppm	428		
Barium Boron	ppm ppm	■ 428 ■ 0 ■ 0	 	



ALTA EQUIPMENT COMPANY

5151 DR MARTIN LUTHER KING BLVD FORT MYERS, FL US 33905 Contact: TODD LARK tlark@altaequipfl.com

T:

F: (239)481-3302

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

 Depot:
 VOLVO0090

 Unique No:
 10672756

 Signed:
 Wes Davis

 Report Date:
 03 Oct 2023



CONSTRUCTION EQUIPMENT





GRAPHS

