

CONSTRUCTION EQUIPMENT VOLVO EC480EL 315169 - HYDRAULIC SYSTEM



Sample No: VCP434441

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

VOLVO				
SAMPLE II	NFORMATION			
Sample Number	-	VCP434441	 	
Sample Date		30 Oct 2023	 	
Machine Hours		939	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		ABNORMAL	 	
OIL CONDI	TION			
Visc @ 40°C	cSt	= 41.6		
		■ 41.6 ■ 0.48	 	
Acid Number (AN)	mg KOH/g	U.4 0	 	
VOLVO				
CONTAMI	NATION			
Particles >4µm		<u> </u>	 	
Particles >6µm		△ 36410	 	
Particles >14µm		1696	 	
ISO 4406:1999 (c)		24/22/18	 	
Silicon	ppm	■ 5	 	
Sodium	ppm	■ 0	 	
Potassium	ppm	■<1	 	
VOLVO				
WEAR ME	TALS			
Iron	ppm	1 2	 	
Copper	ppm	8	 	
Lead	ppm	■0	 	
Tin	ppm	■<1	 	
Aluminum	ppm	<1	 	
Chromium	ppm	0	 	
Molybdenum	ppm	■ 0	 	
Nickel	ppm	■ 0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	■ 0	 	
Vanadium	ppm	0	 	
VOLVO				
ADDITIVE	2			
Calcium	ppm	84	 	
Magnesium	ppm	1	 	
Zinc	ppm	534	 	
Phosphorus	ppm	402	 	
Barium	ppm	■0	 	
Boron	ppm	■0	 	



ALTA EQUIPMENT COMPANY 5151 DR MARTIN LUTHER KING BLVD

FORT MYERS, FL US 33905 Contact: TODD LARK tlark@altaequipfl.com T:

F: (239)481-3302

Diagnosis

The filter change at the time of sampling has been noted. We recommend an early resample to monitor this condition. All component wear rates are normal. There is a moderate amount of silt (particulates < 14 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

 Depot:
 VOLVO0090

 Unique No:
 10723881

 Signed:
 Wes Davis

 Report Date:
 02 Nov 2023



CONSTRUCTION EQUIPMENT





GRAPHS

