

CONSTRUCTION EQUIPMENT

1235 INT PAPER W SAC VOLVO L60H 622547 - HYDRAULIC SYSTE

Sample No: VCP441913

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No: 1235 INT PAPER W SAC

SAMPLE	INFORMATION			
Sample Number		VCP441913	VCP379912	
Sample Date		26 Oct 2023	23 Mar 2023	
Machine Hours		5517	4036	
Oil Hours		0	0	
Oil Changed		Changed	Changed	
Sample Status		NORMAL	NORMAL	
Sumple States		110111111111	TVOTATO LE	
VOLVO	NE 1011			
OIL COND	ITION			
Visc @ 40°C	cSt	42.3	41.4	
Acid Number (AN) mg KOH/g	■0.44	■0.32	
CONTAM	INATION			
_	INATION			
Particles >4µm		4630	3106	
Particles >6µm		972	□ 659	
Particles > 14µm		■36	□33	
ISO 4406:1999 (c)		19/17/12	19/17/12	
Silicon	ppm	■ 2	■3	
Sodium	ppm	■ 0	2	
Potassium	ppm	■ 3	< 1	
VOLVO				
WEAR M	ETALS			
Iron	ppm	□ 8	1 1	
Copper	ppm	1	2	
Lead	ppm	■<1	1	
Tin	ppm	0	0	
Aluminum	ppm	■3	□<1	
Chromium	ppm	■ <1	<1	
Molybdenum	ppm		= <1	
Nickel	ppm	0	0	
Titanium	ppm	<1	0	
Silver	ppm	0	0	
		0	□ <1	
Manganese Vanadium	ppm	<1	0	
Valladium	ppm	<1	U	

65

5

445

341

0



VCES- VOLVO CONSTRUCTION EQUIPMENT 8594 FRUITRIDGE ROAD SACRAMENTO, CA

US 95826

Contact: RAY KRANZUSCH ray.kranzusch@vcesvolvo.com

T:

F:

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:VOLVO4485Unique No:10736610Signed:Wes DavisReport Date:10 Nov 2023

86

2

449

326

0

0

ADDITIVES

ppm

ppm

ppm

ppm

ppm

ppm

Calcium

Zinc

Barium

Boron

Magnesium

Phosphorus



CONSTRUCTION EQUIPMENT





GRAPHS

