

CONSTRUCTION EQUIPMENT RA46 VOLVO A40G 352352 - HYDRAULIC SYSTEM



Sample No: VCP435141

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No: RA46

VOLVO				
SAMPLE II	NFORMATION			
Sample Number	-	VCP435141	 	
Sample Date		16 Nov 2023	 	
Machine Hours		4970	 	
Oil Hours		1000	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
OIL CONDI	TION			
_				<u> </u>
Visc @ 40°C	cSt	43.5	 	
Acid Number (AN)	mg KOH/g	■ 0.30	 	
VOLVO				
CONTAMII	NATION			
Water	%	NEG	 	
Particles >4µm	70	4138	 	
Particles > 6µm		□1340	 	
Particles > 14µm		85	 	
ISO 4406:1999 (c)		19/18/14	 	
Silicon	ppm	■ 6	 	
Sodium	ppm	■0	 	
Potassium	ppm	<u> </u>	 	
	le le			
VOLVO				
WEAR ME	IALS			
Iron	ppm	□7	 	
Copper	ppm	■ 3	 	
Lead	ppm	■2	 	
Tin	ppm	■ 0	 	
Aluminum	ppm	■2	 	
Chromium	ppm	■<1	 	
Molybdenum	ppm	■2	 	
Nickel	ppm	■<1	 	
Titanium	ppm	<1	 	
Silver	ppm	0	 	
Manganese	ppm	■ 0	 	
Vanadium	ppm	0	 	
ADDITIVE	٠			
Calcium	ppm	99	 	
Magnesium	ppm	22	 	
Zinc	ppm	453	 	
Phosphorus	ppm	■ 369	 	



HOUSBY HEAVY EQUIPMENT, LLC

4410 SE 4 MILE DR ANKENY, IA US 50021 Contact: RANDY VANDERLEEST rvanderleest@housby.com T: F: (515)964-2865

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

 Depot:
 VOLVO0080

 Unique No:
 10753097

 Signed:
 Wes Davis

 Report Date:
 22 Nov 2023

ppm

Barium Boron



CONSTRUCTION EQUIPMENT





GRAPHS

