CONSTRUCTION EQUIPMENT
VOLVO L150H 631284 - HYDRAULIC SYSTEM

Sample No: VCP413804
Oil Type: AW HYDRAULIC OIL ISO 46
Job No:

MCCLUNG-LOGAN EQUIPMENT CO - BALTIMORE
4601 WASHINGTON BOULEVARD
BALTIMORE, MD
US 21227
Contact: MARK CIULLA
mciulla@mcclung-logan.com
T: (410)242-6500
F: (410)242-7835

SAMPLE INFORMATION

Sample Number		**VCP413804**	---	---	---
Sample Date		**20 Nov 2023**	---	---	---
Machine Hours		**5360**	---	---	---
Oil Hours		**0**	---	---	---
Oil Changed		**Changed**	---	---	---
Sample Status		**NORMAL**	---	---	---

OIL CONDITION

Visc @ 40°C	cSt	**39.8**	---	---	---
Acid Number (AN)	mg KOH/g	**0.37**	---	---	---

CONTAMINATION

Water	%	**NEG**	---	---	---
Particles >4µm		**928**	---	---	---
Particles >6µm		**65**	---	---	---
Particles >14µm		**7**	---	---	---
ISO 4406:1999 (c)		**17/13/10**	---	---	---
Silicon	ppm	**3**	---	---	---
Sodium	ppm	**2**	---	---	---
Potassium	ppm	**2**	---	---	---

WEAR METALS

Iron	ppm	**5**	---	---	---
Copper	ppm	**9**	---	---	---
Lead	ppm	**2**	---	---	---
Tin	ppm	**0**	---	---	---
Aluminum	ppm	**2**	---	---	---
Chromium	ppm	**2**	---	---	---
Molybdenum	ppm	**1**	---	---	---
Nickel	ppm	**<1**	---	---	---
Titanium	ppm	**<1**	---	---	---
Silver	ppm	**0**	---	---	---
Manganese	ppm	**0**	---	---	---
Vanadium	ppm	**0**	---	---	---

ADDITIVES

Calcium	ppm	**98**	---	---	---
Magnesium	ppm	**8**	---	---	---
Zinc	ppm	**434**	---	---	---
Phosphorus	ppm	**391**	---	---	---
Barium	ppm	**0**	---	---	---
Boron	ppm	**9**	---	---	---

Diagnosis

Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the component. The amount and size of particulates present in the system is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0150
Unique No: 10754146
Signed: Don Baldridge
Report Date: 26 Nov 2023

GRAPHS

Ferrous Alloys



Non-ferrous Metals



Particle Count



Viscosity @ 40°C



Acid Number