CONSTRUCTION EQUIPMENT X58890 VOLVO A25G 752834 - FRONT AXLE



| Sample No: | VCP426125 |
|------------|-----------|
| Oil Type:  | NOT GIVEN |
| Job No:    | X58890    |

VOLVO

|                         | INFORMATION   | 1           |          |      |
|-------------------------|---------------|-------------|----------|------|
|                         | . INFURMATION |             | <u>.</u> | -    |
| Sample Number           |               | VCP426125   |          | <br> |
| Sample Date             |               | 17 Nov 2023 |          | <br> |
| Machine Hours           |               | 439         |          | <br> |
| Oil Hours               |               | 0           |          | <br> |
| Oil Changed             |               | Changed     |          | <br> |
| Sample Status           |               | NORMAL      |          | <br> |
|                         |               |             |          |      |
| OIL CON                 | DITION        |             |          |      |
| Visc @ 40°C             | cSt           | 82.8        |          | <br> |
|                         | 000           |             |          |      |
| VOLVO                   |               |             |          |      |
| CONTAM                  | IINATION      |             |          |      |
| Water                   | %             | NEG         |          | <br> |
| Silicon                 | ppm           | 6           |          | <br> |
| Sodium                  | ppm           | 0           |          | <br> |
| Potassium               | ppm           | 6           |          | <br> |
|                         |               |             |          |      |
| WEAR M                  | IFTAL S       |             |          |      |
|                         |               |             |          |      |
| Iron                    | ppm           | 320         |          | <br> |
| Copper                  | ppm           | 26          |          | <br> |
| Lead                    | ppm           | 0           |          | <br> |
| Tin                     | ppm           |             |          | <br> |
| Aluminum                | ppm           | ∎1          |          | <br> |
| Chromium                | ppm           | 6           |          | <br> |
| Molybdenum              | ppm           | 6           |          | <br> |
| Nickel                  | ppm           | <b>4</b>    |          | <br> |
| Titanium                | ppm           | <1          |          | <br> |
| Silver                  | ppm           | 0           |          | <br> |
| Manganese               | ppm           | 10          |          | <br> |
| Vanadium                | ppm           | 0           |          | <br> |
|                         |               |             |          |      |
|                         | ES            |             |          | <br> |
| Calcium                 | ppm           | 1171        |          | <br> |
| Magnesium               | ppm           | 5           |          | <br> |
| Zinc                    | ppm           | 480         |          | <br> |
| Zinc<br>Discourse annua | PPIII         | 400         |          |      |



SCOTT EQUIPMENT COMPANY LLC - Saint Rose PO BOX 997 SAINT ROSE, LA

US 70087 Contact: DENISE CORVERS dcorvers@scottcompanies.com T: (504)461-0961 F: (504)461-0970

## Diagnosis

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

| Depot:       | SCOSAI      |
|--------------|-------------|
| Unique No:   | 10754599    |
| Signed:      | Wes Davis   |
| Report Date: | 26 Nov 2023 |

1392

0

263

Phosphorus

Barium

Boron

ppm

ppm


ppm

## **CONSTRUCTION EQUIPMENT**



GRAPHS

VOLVO



.