

CONSTRUCTION EQUIPMENT

A 1 1 3 3 2 WM KUTZTOWN VOLVO L 180H 5740 - HYDRAULIC SYSTE

Sample No: VCP434126

Oil Type: MOBIL HYDRAULIC OIL AW 46

Job No: A11332 WM KUTZTOWN

VOLVO	NEODMATION			
	NFORMATION			
Sample Number		VCP434126	 	
Sample Date		16 Nov 2023	 	
Machine Hours		990	 	
Oil Hours		990	 	
Oil Changed		Not Changd	 	
Sample Status		ABNORMAL	 	
OIL CONDI	TION			
		= 42.4		
Visc @ 40°C	cSt	42.4	 	
Acid Number (AN)	mg KOH/g	■ 0.27	 	
VOLVO				
CONTAMII	NATION			
Water	%	NEG	 	
Silicon	ppm	■1	 	
Sodium	ppm	■ 0	 	
Potassium	ppm	2	 	
	le le			
VOLVO	TALC			
WEAR ME	IALS			
Iron	ppm	■2	 	
Copper	ppm	2	 	
Lead	ppm	1	 	
Tin	ppm	■<1	 	
Aluminum	ppm	2	 	
Chromium	ppm	■<1	 	
Molybdenum	ppm	■ <1	 	
Nickel	ppm	■ <1	 	
Titanium	ppm	<1	 	
Silver	ppm	0	 	
Manganese	ppm	■<1	 	
Vanadium	ppm	0	 	
ADDITIVE	7			
_				
Calcium	ppm	■73	 	
Magnesium	ppm	■ <1	 	
Zinc	ppm	■ 592	 	
Phosphorus	ppm	392	 	
Barium	ppm	0	 	
Boron	ppm	■ 0	 	



HOFFMAN EQUIPMENT - LIONVILLE

120 GORDON DRIVE LIONVILLE, PA US 19341 Contact: JIM FEHR jim.fehr@hoffmanequip.com T: (610)363-9200 F: (610)594-0829

Diagnosis

The filter change at the time of sampling has been noted. Resample at the next service interval to monitor. We were unable to perform a particle count due to a high concentration of particles present in this sample. All component wear rates are normal. Moderate concentration of visible dirt/debris present in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO8879
Unique No: 10764985
Signed: Jonathan Hester
Report Date: 01 Dec 2023

Contact/Location: JIM FEHR - VOLVO8879




CONSTRUCTION EQUIPMENT






GRAPHS



Non-ferrous Metals



Viscosity @ 40°C



